


# VDAC1 monoclonal antibody, clone DBA-22


Catalog # MAB20842 Size 100 uL

### Applications



#### Western Blot

Western Blot analysis of (1) HepG2, (2) Jurkat cell lysate.



#### Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of human liver.

Specification	
Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human VDAC1.
Immunogen	A synthetic peptide corresponding to human VDAC1.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Affinity purification
lsotype	lgG

😵 Abnova	Product Information
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-200) Western Blot (1:500-2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide).
Storage Instruction	Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and st ored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## Applications

Western Blot

Western Blot analysis of (1) HepG2, (2) Jurkat cell lysate.

• Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human liver.

Gene Info — VDAC1	
Entrez GenelD	<u>7416</u>
Protein Accession#	<u>P21796</u>
Gene Name	VDAC1
Gene Alias	MGC111064, PORIN, PORIN-31-HL
Gene Description	voltage-dependent anion channel 1
Omim ID	<u>604492</u>
Gene Ontology	Hyperlink
Other Designations	OTTHUMP00000165946 OTTHUMP00000165947

## Pathway

• Calcium signaling pathway



### Disease

- Genetic Predisposition to Disease
- <u>Narcolepsy</u>