


AKR1B1 monoclonal antibody, clone CPTC-AKR1B1-2

Catalog # MAB20975 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human prostate cancer with AKR1B1 monoclonal antibody, clone CPTC-AKR1B1-2 (Cat # MAB20975).

Specification

Product Description	Mouse monoclonal antibody raised against full length recombinant human AKR1B1.
Immunogen	Recombinant protein corresponding to full length human AKR1B1.
Host	Mouse
Theoretical MW (kDa)	37
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.5-1 ug/mL) Western Blot (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS (0.05% BSA, 0.05% sodium azide).
Storage Instruction	Store at 2 to 8°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human prostate cancer with AKR1B1 monoclonal antibody, clone CPTC-AKR1B1-2 (Cat # MAB20975).

Gene Info — AKR1B1

Entrez GeneID [231](#)

Protein Accession# [P15121](#)

Gene Name AKR1B1

Gene Alias ADR, ALDR1, ALR2, AR, MGC1804

Gene Description aldo-keto reductase family 1, member B1 (aldose reductase)

Omim ID [103880](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes a member of the aldo/keto reductase superfamily, which consists of more than 40 known enzymes and proteins. This member catalyzes the reduction of a number of aldehydes, including the aldehyde form of glucose, and is thereby implicated in the development of diabetic complications by catalyzing the reduction of glucose to sorbitol. Multiple pseudogenes have been identified for this gene. The nomenclature system used by the HUGO Gene Nomenclature Committee to define human aldo-keto reductase family members is known to differ from that used by the Mouse Genome Informatics database. [provided by RefSeq]

Other Designations Lii5-2 CTCL tumor antigen|aldehyde reductase 1|aldo-keto reductase family 1, member B1|aldose reductase|low Km aldose reductase

Pathway

- [Fructose and mannose metabolism](#)
- [Galactose metabolism](#)

- [Glycerolipid metabolism](#)
- [Metabolic pathways](#)
- [Pentose and glucuronate interconversions](#)
- [Pyruvate metabolism](#)

Disease

- [Albuminuria](#)
- [Cardiovascular Diseases](#)
- [Coronary Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Diabetic Nephropathies](#)
- [Diabetic Neuropathies](#)
- [Diabetic Retinopathy](#)
- [Disease Progression](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulonephritis](#)
- [Hypospadias](#)
- [Kidney Failure](#)
- [Renal Insufficiency](#)