


Anti-Rituximab monoclonal antibody, clone 6C1


Catalog # MAB23136 Size 40 ug

Applications



Enzyme-linked Immunoabsorbent Assay

Anti-Rituximab monoclonal antibody, clone 6C1 (Cat # MAB23136) binds with Rituximab. Coating antigen: Rituximab, 1 ug/mL. Anti-Rituximab monoclonal antibody, clone 6C1 (Cat # MAB23136) dilution start from 2000 ng/mL. $EC_{50} = 7.819$ ng/mL. While the antibody does not recognize the human lgG (data not shown).



Sandwich ELISA

Standard curve of Rituximab Sandwich ELISA. The Rituximab Sandwich ELISA assay is developed by using Anti-Rituximab monoclonal antibody, clone 6C1 (Cat # MAB23136) and Anti-Rituximab monoclonal antibody, clone 17B6 (Cat # MAB23137) as the capture and detection antibodies, respectively. In this ELISA assay, Anti-Rituximab monoclonal antibody, clone 17B6 (Cat # MAB23137) was labeled with Biotin. The sensitivity is less than 1 ng/mL.

Specification	
Product Description	Mouse monoclonal antibody raised against Rituximab. Target gene is CD20.
Immunogen	Rituximab.
Host	Mouse
Specificity	The product is specific for Rituximab. The antibody is recommended as a capture antibody in a phar macokinetic (PK) bridging assay with detection antibody Anti-Rituximab monoclonal antibody, clone 17B6 (Cat # MAB23137).
Form	Lyophilized



Product Information

Preparation Method	This antibody is produced from a hybridoma resulting from the fusion of partner and B-lymphocytes o btained from a mouse immunized with Rituximab.
Purification	Protein A purification
Isotype	lgG1
Recommend Usage	ELISA (ELISA detection: 0.01-0.1 ug/mL) (Direct/Indirect ELISA) Sandwich ELISA The optimal working dilution should be determined by the end user.
Inhibitory IC50	Non-inhibitory
Storage Buffer	Lyophilized from PBS, pH 7.4 (0.02% sodium azide).
Storage Instruction	Store at -20°C on dry atmosphere, lyophilized antibodies are stable at 1 years. After reconstitution with deionized water (or equivalent) to a final concentration of 0.5 mg/mL, it can b e stored for 2-3 weeks at 2-8°C or for up to 12 months at -20°C or below. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Enzyme-linked Immunoabsorbent Assay

Anti-Rituximab monoclonal antibody, clone 6C1 (Cat # MAB23136) binds with Rituximab. Coating antigen: Rituximab, 1 ug/mL. Anti-Rituximab monoclonal antibody, clone 6C1 (Cat # MAB23136) dilution start from 2000 ng/mL. $EC_{50} = 7.819$ ng/mL. While the antibody does not recognize the human lgG (data not shown).

Sandwich ELISA

Standard curve of Rituximab Sandwich ELISA. The Rituximab Sandwich ELISA assay is developed by using Anti-Rituximab monoclonal antibody, clone 6C1 (Cat # MAB23136) and Anti-Rituximab monoclonal antibody, clone 17B6 (Cat # MAB23137) as the capture and detection antibodies, respectively. In this ELISA assay, Anti-Rituximab monoclonal antibody, clone 17B6 (Cat # MAB23137) was labeled with Biotin. The sensitivity is less than 1 ng/mL.

Gene Info — MS4A1		
Entrez GenelD	931	
Gene Name	MS4A1	
Gene Alias	B1, Bp35, CD20, LEU-16, MGC3969, MS4A2, S7	
Gene Description	membrane-spanning 4-domains, subfamily A, member 1	



Product Information

Omim ID	<u>112210</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes a member of the membrane-spanning 4A gene family. Members of this nasce nt protein family are characterized by common structural features and similar intron/exon splice bo undaries and display unique expression patterns among hematopoietic cells and nonlymphoid tis sues. This gene encodes a B-lymphocyte surface molecule which plays a role in the development and differentiation of B-cells into plasma cells. This family member is localized to 11q12, among a cluster of family members. Alternative splicing of this gene results in two transcript variants which encode the same protein. [provided by RefSeq
Other Designations	B-lymphocyte cell-surface antigen B1 CD20 antigen CD20 receptor

Pathway

• Hematopoietic cell lineage

Disease

- Breast cancer
- Breast Neoplasms
- Genetic Predisposition to Disease
- Lymphoma
- Neoplasm Recurrence
- Ovarian cancer