

ABCG2 monoclonal antibody, clone BXP-21

Catalog # MAB23151

Size

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant ABCG2.
Immunogen	Recombinant protein corresponding to amino acids 271-396 of human ABCG2.
Host	Mouse
Reactivity	Human
Specificity	BXP-21 reacts with an internal epitope of BCRP, a 70 kD transmembrane half-transporter which is involved in Multidrug resistance. BXP-21 did not cross-react with the human MDR1, MRP1, MRP2 gene products.
Form	Liquid
Isotype	IgG2a
Recommend Usage	Flow Cytometry Immunocytochemistry (1:20) Immunohistochemistry (Frozen sections) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) Western blot The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.1% BSA, 0.02% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

- Immunohistochemistry (Frozen sections)
- Immunocytochemistry
- Flow Cytometry

Gene Info — ABCG2

Entrez GeneID	9429
Protein Accession#	AF098951
Gene Name	ABCG2
Gene Alias	ABC15, ABCP, BCRP, BCRP1, BMDP, CD338, CDw338, EST157481, MGC102821, MRX, M XR, MXR1
Gene Description	ATP-binding cassette, sub-family G (WHITE), member 2
Omim ID	603756
Gene Ontology	Hyperlink
Gene Summary	The membrane-associated protein encoded by this gene is included in the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TA P, MRP, ALD, OABP, GCN20, White). This protein is a member of the White subfamily. Alternatively referred to as a breast cancer resistance protein, this protein functions as a xenobiotic transporter which may play a major role in multi-drug resistance. It likely serves as a cellular defense mechanism in response to mitoxantrone and anthracycline exposure. Significant expression of this protein has been observed in the placenta, which may suggest a potential role for this molecule in placenta tissue. [provided by RefSeq]
Other Designations	ABC transporter ATP-binding cassette transporter G2 ATP-binding cassette, sub-family G, member 2 breast cancer resistance protein mitoxantrone resistance protein placenta specific MDR protein

Pathway

- [ABC transporters](#)

Disease

- [Adenocarcinoma](#)
- [Alzheimer disease](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Colon cancer](#)
- [Colorectal Neoplasms](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diarrhea](#)
- [Disease Progression](#)
- [Drug-Induced Liver Injury](#)
- [Edema](#)
- [Encephalomyelitis](#)
- [Epilepsies](#)
- [Epilepsy](#)
- [Esophageal Neoplasms](#)
- [Exanthema](#)
- [Gastrointestinal Stromal Tumors](#)
- [Genetic Predisposition to Disease](#)
- [Genomic Instability](#)

- [Gilbert Disease](#)
- [Glioma](#)
- [Gout](#)
- [Head and Neck Neoplasms](#)
- [Hearing Loss](#)
- [HIV Infections](#)
- [HIV Seropositivity](#)
- [Hyperbilirubinemia](#)
- [Hypercholesterolemia](#)
- [Hyperuricemia](#)
- [Inflammatory Bowel Diseases](#)
- [Kidney Diseases](#)
- [Kidney Failure](#)
- [Kidney Neoplasms](#)
- [Leukemia](#)
- [Lung Diseases](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Mesothelioma](#)
- [Metabolic Syndrome X](#)
- [Multiple Sclerosis](#)
- [Myocardial Infarction](#)
- [Nasopharyngeal Neoplasms](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neovascularization](#)

- [Neurotoxicity Syndromes](#)
- [Neutropenia](#)
- [Obesity](#)
- [Opportunistic Infections](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pleural Neoplasms](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Psoriasis](#)
- [Stroke](#)
- [Urogenital Neoplasms](#)