


RecomAb™

PGR monoclonal antibody, clone RM357


Catalog # MAB23160 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of T-47D cell lysates with PGR monoclonal antibody, clone RM357 (Cat # MAB23160) at 1:2000 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human breast cancer with PGR monoclonal antibody, clone RM357 (Cat # MAB23160) at a 1:100 dilution.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human PGR.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to C-terminus of human PGR.
Reactivity	Human
Specificity	This antibody reacts to human PGR. It may also react to mouse and rat PGR, as predicted by immunogen homology.
Form	Liquid

Purification	Protein A purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:100-1:200) Western Blot (1:1000-1:2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (50% glycerol, 1% BSA, 0.09% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of T-47D cell lysates with PGR monoclonal antibody, clone RM357 (Cat # MAB23160) at 1:2000 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human breast cancer with PGR monoclonal antibody, clone RM357 (Cat # MAB23160) at a 1:100 dilution.

Gene Info — PGR

Entrez GeneID	5241
Gene Name	PGR
Gene Alias	NR3C3, PR
Gene Description	progesterone receptor
Omim ID	607311
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the steroid receptor superfamily. The encoded protein mediates the physiological effects of progesterone, which plays a central role in reproductive events associated with the establishment and maintenance of pregnancy. This gene uses two distinct promoters and translation start sites in the first exon to produce two isoforms, A and B. The two isoforms are identical except for the additional 165 amino acids found in the N-terminus of isoform A only, and mediate their own response genes and physiologic effects with little overlap. The location of transcription initiation for isoform B has not been clearly determined. [provided by RefSeq]

Other Designations

-

Disease

- [Abortion](#)
- [Adenocarcinoma](#)
- [Adhesions](#)
- [Aortic Aneurysm](#)
- [Arthritis](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Colorectal Neoplasms](#)
- [Connective Tissue Diseases](#)
- [Diabetes Mellitus](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Endometrial Neoplasms](#)
- [Endometriosis](#)
- [Esophageal Neoplasms](#)
- [Fetal Diseases](#)
- [Gender Identity](#)
- [Genetic Predisposition to Disease](#)
- [Hyperprolactinemia](#)
- [Hypertension](#)
- [Infant](#)

- [Infection](#)
- [Infertility](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Leiomyoma](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Migraine Disorders](#)
- [Musculoskeletal Diseases](#)
- [Neoplasm Invasiveness](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Cysts](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)
- [Panic Disorder](#)
- [Peritoneal Diseases](#)
- [Polycystic Ovary Syndrome](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Proteinuria](#)

- [Psychiatric Status Rating Scales](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Skin Diseases](#)
- [Stomach Neoplasms](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Diseases](#)
- [Uterine Neoplasms](#)
- [Vertigo](#)
- [Werner syndrome](#)