


KRT8 monoclonal antibody, clone R15-K

Catalog # MAB23282

Size 7 mL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with KRT8 monoclonal antibody, clone R15-K (Cat # MAB23282).

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human KRT8.
Immunogen	A synthetic peptide corresponding to C-terminus of human KRT8.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	immunoaffinity purification
Recommend Usage	Immunohistochemistry (1:100-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In 20 mM Tris-HCl buffer, pH 8.0 (20 mg/mL BSA, 0.05% Sodium Azide).
Storage Instruction	Store at 4°C. Do not freeze.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with KRT8 monoclonal antibody, clone R15-K (Cat # MAB23282).

Gene Info — KRT8

Entrez GeneID [3856](#)

Protein Accession# [P05787](#)

Gene Name KRT8

Gene Alias CARD2, CK8, CYK8, K2C8, K8, KO

Gene Description keratin 8

Omim ID [148060 215600](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene is a member of the type II keratin family clustered on the long arm of chromosome 12. Type I and type II keratins heteropolymerize to form intermediate-sized filaments in the cytoplasm of epithelial cells. The product of this gene typically dimerizes with keratin 18 to form an intermediate filament in simple single-layered epithelial cells. This protein plays a role in maintaining cellular structural integrity and also functions in signal transduction and cellular differentiation. Mutations in this gene cause cryptogenic cirrhosis. [provided by RefSeq]

Other Designations cytokeratin 8|keratin, type II cytoskeletal 8

Disease

- [Alzheimer disease](#)
- [Cerebral Amyloid Angiopathy](#)
- [Chronic Disease](#)
- [Disease Progression](#)
- [Drug-Induced Liver Injury](#)
- [Genetic Predisposition to Disease](#)
- [Hepatitis C](#)

- [Inflammatory Bowel Diseases](#)
- [Liver Cirrhosis](#)
- [Liver Failure](#)
- [Neuroblastoma](#)
- [Pancreatitis](#)