


PRKCA/PRKCB/PRKCD/PRKCE/PRKCH/PRKCG/PRKCQ (phospho T514) monoclonal antibody, clone PF4 (FITC)

Catalog # MAB23389 Size 100 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of HT1080 cells with PRKCA/PRKCB/PRKCD/PRKCE/PRKCH/PRKCG/PRKCQ (phospho Thr514) monoclonal antibody, clone PF4 (FITC)(Cat # MAB23389). Treated with staurosporine (red) or untreated (green).

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic phosphopeptide of human PRKCA/PRKCB/PRKCD/PRKCE/PRKCH/PRKCG/PRKCQ.
Immunogen	A synthetic phospho-peptide corresponding to residues surrounding Thr514 of human phospho PKC gamma
Host	Rabbit
Reactivity	Human
Form	Liquid
Conjugation	FITC
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (5 uL/million cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% NaN ₃ , 0.2% BSA)

Storage Instruction

Store at 4°C. Do not freeze.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Flow Cytometry

Flow cytometric analysis of HT1080 cells with PRKCA/PRKCB/PRKCD/PRKCE/PRKCH/PRKCG/PRKCQ (phospho Thr514) monoclonal antibody, clone PF4 (FITC)(Cat # MAB23389). Treated with staurosporine (red) or untreated (green).

Gene Info — PRKCA

Entrez GenelD	5578
Protein Accession#	P17252; P05771; P05771-2; Q05655; Q02156; P24723; P05129; Q04759
Gene Name	PRKCA
Gene Alias	AAG6, MGC129900, MGC129901, PKC-alpha, PKCA, PRKACA
Gene Description	protein kinase C, alpha
Omim ID	176960
Gene Ontology	Hyperlink
Gene Summary	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells. The protein encoded by this gene is one of the PKC family members. This kinase has been reported to play roles in many different cellular processes, such as cell adhesion, cell transformation, cell cycle checkpoint, and cell volume control. Knockout studies in mice suggest that this kinase may be a fundamental regulator of cardiac contractility and Ca(2+) handling in myocytes. [provided by RefSeq]
Other Designations	aging-associated gene 6 protein kinase C alpha type

Gene Info — PRKCB

Entrez GenelD	5579
---------------	----------------------

Protein Accession#	P17252; P05771; P05771-2; Q05655; Q02156; P24723; P05129; Q04759
Gene Name	PRKCB
Gene Alias	MGC41878, PKC-beta, PKCB, PRKCB1, PRKCB2
Gene Description	protein kinase C, beta
Omim ID	176970
Gene Ontology	Hyperlink
Gene Summary	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoter s. Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells. The protein encoded by this gene is one of the PKC family members. This protein kinase has been reported to be involved in many different cellular functions, such as B cell activation, apoptosis induction, endothelial cell proliferation, and intestinal sugar absorption. Studies in mice also suggest that this kinase may also regulate neuronal functions and correlate fear-induced conflict behavior after stress. Alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq]
Other Designations	protein kinase C, beta 1 polypeptide

Gene Info — PRKCD

Entrez GeneID	5580
Protein Accession#	P17252; P05771; P05771-2; Q05655; Q02156; P24723; P05129; Q04759
Gene Name	PRKCD
Gene Alias	MAY1, MGC49908, PKCD, nPKC-delta
Gene Description	protein kinase C, delta
Omim ID	176977
Gene Ontology	Hyperlink

Gene Summary

Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play distinct roles in cells. The protein encoded by this gene is one of the PKC family members. Studies both in human and mice demonstrate that this kinase is involved in B cell signaling and in the regulation of growth, apoptosis, and differentiation of a variety of cell types. Alternatively spliced transcript variants encoding the same protein have been observed. [provided by RefSeq]

Other Designations

protein kinase C delta VIII

Gene Info — PRKCE**Entrez GeneID**

[5581](#)

Protein Accession#

[P17252; P05771; P05771-2; Q05655; Q02156; P24723; P05129; Q04759](#)

Gene Name

PRKCE

Gene Alias

MGC125656, MGC125657, PKCE, nPKC-epsilon

Gene Description

protein kinase C, epsilon

Omim ID

[176975](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells. The protein encoded by this gene is one of the PKC family members. This kinase has been shown to be involved in many different cellular functions, such as neuron channel activation, apoptosis, cardioprotection from ischemia, heat shock response, as well as insulin exocytosis. Knockout studies in mice suggest that this kinase is important for lipopolysaccharide (LPS)-mediated signaling in activated macrophages and may also play a role in controlling anxiety-like behavior. [provided by RefSeq]

Other Designations

-

Gene Info — PRKCG**Entrez GeneID**

[5582](#)

Protein Accession#

[P17252; P05771; P05771-2; Q05655; Q02156; P24723; P05129; Q04759](#)

Gene Name	PRKCG
Gene Alias	MGC57564, PKC-gamma, PKCC, PKCG, SCA14
Gene Description	protein kinase C, gamma
Omim ID	176980 605361
Gene Ontology	Hyperlink
Gene Summary	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play distinct roles in cells. The protein encoded by this gene is one of the PKC family members. This protein kinase is expressed solely in the brain and spinal cord and its localization is restricted to neurons. It has been demonstrated that several neuronal functions, including long term potentiation (LTP) and long term depression (LTD), specifically require this kinase. Knockout studies in mice also suggest that this kinase may be involved in neuropathic pain development. Defects in this protein have been associated with neurodegenerative disorder spinocerebellar atrophy-14 (SCA14). [provided by RefSeq]
Other Designations	-

Gene Info — PRKCH

Entrez GenelD	5583
Protein Accession#	P17252; P05771; P05771-2; Q05655; Q02156; P24723; P05129; Q04759
Gene Name	PRKCH
Gene Alias	MGC26269, MGC5363, PKC-L, PKCL, PRKCL, nPKC-eta
Gene Description	protein kinase C, eta
Omim ID	601367 605437
Gene Ontology	Hyperlink

Gene Summary

Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role in cells. The protein encoded by this gene is one of the PKC family members. It is a calcium-independent and phospholipids-dependent protein kinase. It is predominantly expressed in epithelial tissues and has been shown to reside specifically in the cell nucleus. This protein kinase can regulate keratinocyte differentiation by activating the MAP kinase MAPK13 (p38delta)-activated protein kinase cascade that targets CCAAT/enhancer-binding protein alpha (CEBPA). It is also found to mediate the transcription activation of the transglutaminase 1 (TGM1) gene. [provided by RefSeq]

Other Designations

protein kinase C eta type

Gene Info — PRKCQ

Entrez GeneID	5588
Protein Accession#	P17252; P05771; P05771-2; Q05655; Q02156; P24723; P05129; Q04759
Gene Name	PRKCQ
Gene Alias	MGC126514, MGC141919, PRKCT, nPKC-theta
Gene Description	protein kinase C, theta
Omim ID	600448
Gene Ontology	Hyperlink
Gene Summary	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role. The protein encoded by this gene is one of the PKC family members. It is a calcium-independent and phospholipid-dependent protein kinase. This kinase is important for T-cell activation. It is required for the activation of the transcription factors NF-kappaB and AP-1, and may link the T cell receptor (TCR) signaling complex to the activation of the transcription factors. [provided by RefSeq]
Other Designations	OTTHUMP0000019053 OTTHUMP0000043364 OTTHUMP0000043365

Pathway

- [Adipocytokine signaling pathway](#)

- [B cell receptor signaling pathway](#)
- [Calcium signaling pathway](#)
- [Calcium signaling pathway](#)
- [Calcium signaling pathway](#)
- [Chemokine signaling pathway](#)
- [Chemokine signaling pathway](#)
- [ErbB signaling pathway](#)
- [ErbB signaling pathway](#)
- [ErbB signaling pathway](#)
- [Fc epsilon RI signaling pathway](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Focal adhesion](#)
- [Focal adhesion](#)
- [Focal adhesion](#)
- [Gap junction](#)
- [Gap junction](#)
- [Gap junction](#)
- [Glioma](#)
- [Glioma](#)

- [Glioma](#)
- [GnRH signaling pathway](#)
- [GnRH signaling pathway](#)
- [GnRH signaling pathway](#)
- [Leukocyte transendothelial migration](#)
- [Leukocyte transendothelial migration](#)
- [Leukocyte transendothelial migration](#)
- [Long-term depression](#)
- [Long-term depression](#)
- [Long-term depression](#)
- [Long-term potentiation](#)
- [Long-term potentiation](#)
- [Long-term potentiation](#)
- [MAPK signaling pathway](#)
- [MAPK signaling pathway](#)
- [MAPK signaling pathway](#)
- [Melanogenesis](#)
- [Melanogenesis](#)
- [Melanogenesis](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Neurotrophin signaling pathway](#)
- [Non-small cell lung cancer](#)
- [Non-small cell lung cancer](#)
- [Non-small cell lung cancer](#)

- [Pathogenic Escherichia coli infection - EHEC](#)
- [Pathways in cancer](#)
- [Pathways in cancer](#)
- [Pathways in cancer](#)
- [Phosphatidylinositol signaling system](#)
- [Phosphatidylinositol signaling system](#)
- [Phosphatidylinositol signaling system](#)
- [T cell receptor signaling pathway](#)
- [Tight junction](#)
- [Type II diabetes mellitus](#)
- [Type II diabetes mellitus](#)
- [Vascular smooth muscle contraction](#)
- [VEGF signaling pathway](#)
- [VEGF signaling pathway](#)

- [VEGF signaling pathway](#)
- [Vibrio cholerae infection](#)
- [Vibrio cholerae infection](#)
- [Vibrio cholerae infection](#)
- [Wnt signaling pathway](#)
- [Wnt signaling pathway](#)
- [Wnt signaling pathway](#)

Disease

- [Adenocarcinoma](#)
- [Albuminuria](#)
- [Alzheimer Disease](#)
- [Antisocial Personality Disorder](#)
- [Arthritis](#)
- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Brain Infarction](#)
- [Brain Ischemia](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cardiovascular Diseases](#)

- [Cardiovascular Diseases](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Cerebral Hemorrhage](#)
- [Cerebral Hemorrhage](#)
- [Conduct Disorder](#)
- [Depressive Disorder](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Diabetic Nephropathies](#)
- [Diabetic Retinopathy](#)
- [Disease Models](#)
- [Disease Progression](#)
- [Disease Progression](#)
- [Edema](#)
- [Edema](#)
- [Edema](#)
- [Edema](#)
- [Epilepsies](#)
- [Esophageal Neoplasms](#)
- [Gastritis](#)

- [Genetic Predisposition to Disease](#)
- [Helicobacter Infections](#)
- [Hypertension](#)
- [Hypertension](#)
- [Inflammation](#)
- [Inflammation](#)
- [Inhibition \(Psychology\)](#)
- [Intracranial Hemorrhages](#)
- [Kidney Failure](#)
- [Kidney Failure](#)
- [Liver Cirrhosis](#)
- [Liver Cirrhosis](#)
- [Liver Cirrhosis](#)
- [Mental Disorders](#)
- [Multiple Sclerosis](#)
- [Narcolepsy](#)
- [Narcolepsy](#)
- [Narcolepsy](#)
- [Obesity](#)
- [Pancreatic Neoplasms](#)

- [Premature Birth](#)
- [Prostatic Neoplasms](#)
- [Proteinuria](#)
- [Schizophrenia](#)
- [Spinocerebellar ataxia](#)
- [Spinocerebellar Ataxias](#)
- [Stomach Neoplasms](#)
- [Stroke](#)
- [Stroke](#)
- [Subarachnoid Hemorrhage](#)
- [Substance-Related Disorders](#)
- [Syndrome](#)
- [Tobacco Use Disorder](#)
- [Vaginosis](#)
- [Wegener Granulomatosis](#)