


PTPN6 (phospho Y536) monoclonal antibody, clone 2A7 (FITC)

Catalog # MAB23502 Size 100 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of Ramos cells with PTPN6 (phospho Y536) monoclonal antibody, clone 2A7 (FITC) (Cat # MAB23502). Unstained as negative control (blue) or untreated (red) or treated with pervanadate (green).

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic phosphopeptide of human PTPN6.
Immunogen	A synthetic phosphopeptide corresponding to residues surrounding Y536 of human PTPN6.
Host	Rabbit
Reactivity	Human
Form	Liquid
Conjugation	FITC
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (5 μ L/ 10^6 cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (0.2% BSA, 0.09% sodium azide).
Storage Instruction	Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Flow Cytometry

Flow cytometric analysis of Ramos cells with PTPN6 (phospho Y536) monoclonal antibody, clone 2A7 (FITC) (Cat # MAB23502). Unstained as negative control (blue) or untreated (red) or treated with pervanadate (green).

Gene Info — PTPN6

Entrez GeneID [5777](#)

GeneBank Accession# [P29350](#)

Protein Accession# [P29350](#)

Gene Name PTPN6

Gene Alias HCP, HCPH, HPTP1C, PTP-1C, SH-PTP1, SHP-1, SHP-1L, SHP1

Gene Description protein tyrosine phosphatase, non-receptor type 6

Omim ID [176883](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. N-terminal part of this PTP contains two tandem Src homolog (SH2) domains, which act as protein phospho-tyrosine binding domains, and mediate the interaction of this PTP with its substrates. This PTP is expressed primarily in hematopoietic cells, and functions as an important regulator of multiple signaling pathways in hematopoietic cells. This PTP has been shown to interact with, and dephosphorylate a wide spectrum of phospho-proteins involved in hematopoietic cell signaling. Multiple alternatively spliced variants of this gene, which encode distinct isoforms, have been reported. [provided by RefSeq]

Other Designations hematopoietic cell phosphatase|hematopoietic cell protein-tyrosine phosphatase|protein-tyrosine phosphatase 1C

Pathway

- [Adherens junction](#)

- [B cell receptor signaling pathway](#)
- [Jak-STAT signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [T cell receptor signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Cerebral Amyloid Angiopathy](#)
- [Genetic Predisposition to Disease](#)
- [Lupus Erythematosus](#)
- [Neuroblastoma](#)