

ZAP70 monoclonal antibody, clone SBZAP

Catalog # MAB3324 Size 100 ug

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant ZAP70.
Immunogen	Recombinant protein corresponding to amino acids 280-309 of human ZAP70.
Host	Mouse
Reactivity	Human
Specificity	human ZAP-70.
Form	Liquid
Isotype	IgG1
Recommend Usage	Flow Cytometry (1 ug/10 ⁶ cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In 100 mM BBS, pH 8.2
Storage Instruction	Store at 4°C.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Flow Cytometry

Gene Info — ZAP70

Entrez GeneID	7535
Gene Name	ZAP70

Gene Alias	FLJ17670, FLJ17679, SRK, STD, TZK, ZAP-70
Gene Description	zeta-chain (TCR) associated protein kinase 70kDa
Omim ID	176947
Gene Ontology	Hyperlink
Gene Summary	This gene encodes an enzyme belonging to the protein tyrosine kinase family, and it plays a role in T-cell development and lymphocyte activation. This enzyme, which is phosphorylated on tyrosine residues upon T-cell antigen receptor (TCR) stimulation, functions in the initial step of TCR-mediated signal transduction in combination with the Src family kinases, Lck and Fyn. This enzyme is also essential for thymocyte development. Mutations in this gene cause selective T-cell defect, a severe combined immunodeficiency disease characterized by a selective absence of CD8-positive T-cells. Two transcript variants that encode different isoforms have been found for this gene. [provided by RefSeq]
Other Designations	syk-related tyrosine kinase zeta-chain (TCR) associated protein kinase (70 kD) zeta-chain associated protein kinase 70kDa zeta-chain associated protein kinase, 70kD

Publication Reference

- [The Syk/ZAP-70 protein tyrosine kinase connection to antigen receptor signalling processes.](#)

van Oers NS, Weiss A.

Seminars in Immunology 1995 Aug; 7(4):227.

- [F2\(Pmp\)2-TAM zeta 3, a novel competitive inhibitor of the binding of ZAP-70 to the T cell antigen receptor, blocks early T cell signaling.](#)

Wange RL, Isakov N, Burke TR Jr, Otake A, Roller PP, Watts JD, Aebersold R, Samelson LE.

The Journal of Biological Chemistry 1995 Jan; 270(2):944.

Application: WB-Ce, Human, Jurkat cells

Pathway

- [Natural killer cell mediated cytotoxicity](#)
- [Primary immunodeficiency](#)
- [T cell receptor signaling pathway](#)

Disease

- [HIV Infections](#)