

Tollip monoclonal antibody, clone Kimmy-1

Catalog # MAB3709 Size 100 ug

Applications



Western Blot (Cell lysate)

Detection of endogenous Tollip in murine EL4. Optimal dilution of Tollip monoclonal antibody, clone Kimmy-1 (Cat # MAB3709) is between 1-5 ug/mL. Extracts should be made from approximately 106-107 cells.

Specification	
Product Description	Rat monoclonal antibody raised against recombinant Tollip.
Immunogen	Recombinant protein corresponding to mouse Tollip.
Host	Rat
Reactivity	Human, Mouse
Specificity	Recognizes human and mouse Tollip.
Form	Liquid
Isotype	lgG2a
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.



Applications

Western Blot (Cell lysate)

Detection of endogenous Tollip in murine EL4. Optimal dilution of Tollip monoclonal antibody, clone Kimmy-1 (Cat # MAB3709) is between 1-5 μ mL. Extracts should be made from approximately 10^6 - 10^7 cells.

Immunoprecipitation

Gene Info — Tollip	
Entrez GeneID	<u>54473</u>
Gene Name	Tollip
Gene Alias	4930403G24Rik, 4931428G15Rik
Gene Description	toll interacting protein
Gene Ontology	<u>Hyperlink</u>
Other Designations	-