

# CD44 monoclonal antibody, clone MEM-85 (Biotin)

Catalog # MAB4564      Size 100 ug

## Specification

<b>Product Description</b>	Mouse monoclonal antibody raised against native CD44.
<b>Immunogen</b>	Native purified CD44 from leukocytes of patient suffering from LGL-type leukaemia.
<b>Host</b>	Mouse
<b>Theoretical MW (kDa)</b>	80-95
<b>Reactivity</b>	Human
<b>Specificity</b>	This antibody reacts with both cell surface-expressed and soluble form of CD44 antigen (Phagocyte glycoprotein 1), a 80-95 KDa transmembrane glycoprotein (hyaladherin family) present on the most of cells and tissues (leukocytes, endothelial cells, mesenchymal cells, etc.); it is negative on platelets and hepatocytes.
<b>Form</b>	Liquid
<b>Conjugation</b>	Biotin
<b>Isotype</b>	IgG2b
<b>Recommend Usage</b>	Flow Cytometry (1:1000) The optimal working dilution should be determined by the end user.
<b>Storage Buffer</b>	In PBS, pH 7.2 (0.09% sodium azide)
<b>Storage Instruction</b>	Store at 4°C. Do not freeze. Aliquot to avoid repeated freezing and thawing.
<b>Note</b>	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Flow Cytometry

## Gene Info — CD44

Entrez GenelD	<a href="#">960</a>
Gene Name	CD44
Gene Alias	CDW44, CSPG8, ECMR-III, HCELL, IN, LHR, MC56, MDU2, MDU3, MGC10468, MIC4, MUTC -I, Pgp1
Gene Description	CD44 molecule (Indian blood group)
Omim ID	<a href="#">107269</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein, and may be related to tumor metastasis. [provided by RefSeq]
Other Designations	CD44 antigen CD44 antigen (homing function and Indian blood group system) CDW44 antigen GP90 lymphocyte homing/adhesion receptor Hermes antigen antigen gp90 homing receptor cell adhesion molecule cell surface glycoprotein CD44 chondroitin sulfate proteoglycan

## Publication Reference

- [CD44 regulates cell migration in human colon cancer cells via Lyn kinase and AKT phosphorylation.](#)  
Subramaniam V, Vincent IR, Gardner H, Chan E, Dhamko H, Jothy S.  
Experimental and Molecular Pathology 2007 May; 83(2):207.
- [Down-regulation of CD44 contributes to the differentiation of HL-60 cells induced by ATRA or HMBA.](#)  
Liu J, Bi G, Wen P, Yang W, Ren X, Tang T, Xie C, Dong W, Jiang G.  
Cellular & Molecular Immunology 2007 Feb; 4(1):59.
- [Metalloprotease and serine protease are involved in cleavage of CD43, CD44, and CD16 from stimulated human granulocytes. Induction of cleavage of L-selectin via CD16.](#)  
Bazil V, Strominger JL.  
Journal of Immunology 1994 Feb; 152(3):1314.  
Application: Flow Cyt, Human, Human granulocytes, Lymphocytes

## Pathway

- [ECM-receptor interaction](#)
- [Hematopoietic cell lineage](#)

## Disease

- [Arthritis](#)
- [Breast Neoplasms](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Craniofacial Abnormalities](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Heart Defects](#)
- [Hepatitis B](#)
- [Kidney Failure](#)
- [Mouth Abnormalities](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Ovarian Neoplasms](#)