

CD45RB monoclonal antibody, clone MEM-55 (APC)

Catalog # MAB4629

Size 100 Reactions

Specification

Product Description	Mouse monoclonal antibody raised against native CD45RB.
Immunogen	Native purified CD45RB from human thymocytes and T lymphocytes.
Host	Mouse
Theoretical MW (kDa)	180-240
Reactivity	Human, Non-Human Primates
Specificity	This antibody recognizes a siliadase-sensitive epitope of CD45RB, a 180-240 KDa single chain type I membrane glycoprotein, variant of CD45 (CD45RB isoform).
Form	Liquid
Conjugation	APC
Isotype	IgG1
Recommend Usage	Flow Cytometry (10 ul in human blood cells 100 ul in whole blood or 10 ⁶ cells in a suspension) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.2% BSA, 0.09% sodium azide)
Storage Instruction	Store in the dark at 4°C. Do not freeze. Avoid prolonged exposure to light. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Flow Cytometry

Gene Info — PTPRC

Entrez GeneID [5788](#)

Gene Name PTPRC

Gene Alias B220, CD45, CD45R, GP180, LCA, LY5, T200

Gene Description protein tyrosine phosphatase, receptor type, C

Omim ID [126200](#) [151460](#) [609532](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP contains an extra cellular domain, a single transmembrane segment and two tandem intracytoplasmic catalytic domains, and thus belongs to receptor type PTP. This gene is specifically expressed in hematopoietic cells. This PTP has been shown to be an essential regulator of T- and B-cell antigen receptor signaling. It functions through either direct interaction with components of the antigen receptor complexes, or by activating various Src family kinases required for the antigen receptor signaling. This PTP also suppresses JAK kinases, and thus functions as a regulator of cytokine receptor signaling. Four alternatively spliced transcripts variants of this gene, which encode distinct isoforms, have been reported. [provided by RefSeq]

Other Designations CD45 antigen|T200 glycoprotein|T200 leukocyte common antigen|glycoprotein|leukocyte-common antigen|protein tyrosine phosphatase, receptor type, c polypeptide

Publication Reference

- [Involvement of CD45 in DNA fragmentation in apoptosis induced by mitochondrial perturbing agents.](#)

Desharnais P, Dupere-Minier G, Hamelin C, Devine P, Bernier J.

Apoptosis 2008 Feb; 13(2):197.

- [Collagen-mediated survival signaling is modulated by CD45 in Jurkat T cells.](#)

Bijian K, Zhang L, Shen SH.

Molecular Immunology 2007 May; 44(15):3682.

- [Monoclonal antibodies against human leucocyte antigens. II. Antibodies against CD45 \(T200\), CD3 \(T3\), CD43, CD10 \(CALLA\), transferrin receptor \(T9\), a novel broadly expressed 18-kDa antigen \(MEM-43\) and a novel antigen of restricted expression \(MEM-74\).](#)

Horejsí V, Angelisová P, Bazil V, Kristofová H, Stoyanov S, Stefanová I, Hausner P, Vosecký M, Hilgert I.

Folia Biol (Praha) 1988 Jan; 34(1):23.

Pathway

- [Cell adhesion molecules \(CAMs\)](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Primary immunodeficiency](#)
- [T cell receptor signaling pathway](#)

Disease

- [Arthritis](#)
- [Ascariasis](#)
- [Autoimmune Diseases](#)
- [Cardiomyopathy](#)
- [Diabetes Mellitus](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Hashimoto Disease](#)
- [Hepatitis](#)
- [Hepatitis B](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [Inflammatory Bowel Diseases](#)
- [Lupus Erythematosus](#)
- [Lymphopenia](#)
- [Multiple Sclerosis](#)
- [Paraparesis](#)
- [Scleroderma](#)

- [Severe combined immunodeficiency](#)
- [Thyroiditis](#)