


Klrb1c monoclonal antibody, clone PK136 (PE/Cy7)

Catalog # MAB5779 Size 100 ug

Applications



Flow Cytometry

Splenocytes from a C57BL/6 mouse were double stained with Klrb1c monoclonal antibody, clone PK136 (PE) (Cat # MAB5777) and Klrb1c monoclonal antibody, clone PK136 (FITC) (Cat # MAB5775). Small lymphocytes were then gated and analyzed by flow cytometry.

Specification	
Product Description	Mouse monoclonal antibody raised against native Klrb1c.
Immunogen	Native purified Klrb1c from CE mouse spleen and bone marrow cells enriched for NK-1+ cells.
Host	Mouse
Reactivity	Mouse
Specificity	Mouse NK1.1 alloantigen, Mr 80-85 KDa (39 KDa under reducing conditions).
Form	Liquid
Conjugation	PE/Cy7
Isotype	lgG2a, kappa
Recommend Usage	Flow Cytometry (0.3 ug/10 ⁶ cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)



Product Information

Storage Instruction	Store in the dark at 4°C. Do not freeze. Avoid prolonged exposure to light. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Immunoprecipitation
- Flow Cytometry

Splenocytes from a C57BL/6 mouse were double stained with Klrb1c monoclonal antibody, clone PK136 (PE) (Cat # MAB5777) and Klrb1c monoclonal antibody, clone PK136 (FITC) (Cat # MAB5775). Small lymphocytes were then gated and analyzed by flow cytometry.

Gene Info — KIrb1c	
Entrez GenelD	<u>17059</u>
Gene Name	Klrb1c
Gene Alias	Al462337, CD161, Ly-59, Ly55c, Ly59, NK-RP1, NK1.1, NKRP1, NKRP140, Nk-1, Nk-1.2, Nk1, Nk1.2, Nkrp1c
Gene Description	killer cell lectin-like receptor subfamily B member 1C
Gene Ontology	<u>Hyperlink</u>
Gene Summary	locus C lymphocyte antigen 59 natural killer cell receptor protein NKR-P1C natural killer cell recept or-P1 natural killer cell-associated antigen 1
Other Designations	killer cell lectin-like receptor subfamily A member 1C lymphocyte antigen 55 complex, locus C lymphocyte antigen 59 natural killer cell receptor protein NKR-P1C natural killer cell receptor-P1 natural killer cell-associated antigen 1

Publication Reference





 MHC class I molecules on adenovirus E1A-expressing tumor cells inhibit NK cell killing but not NK cellmediated tumor rejection.

Routes JM, Ryan JC, Ryan S, Nakamura M.

International Immunology 2001 Oct; 13(10):1301.

Application: Flow Cyt, Func, Mouse, Mouse nature killer cells

Cytometric and functional analyses of NK and NKT cell deficiencies in NOD mice.

L D Poulton, M J Smyth, C G Hawke, P Silveira, D Shepherd, O V Naidenko, D I Godfrey, A G Baxter.

International Immunology 2005 Nov; 13(11):891.

Application: Flow Cyt, Mouse, Mouse natural killer cells

Natural killer cell proliferation induced by anti-NK1.1 and IL-2.

Reichlin A, Yokoyama WM.

Immunology and Cell Biology 1998 Apr; 76(2):143.

Application: Flow Cyt, Mouse, Mouse natural killer cells