# PSA (Total) monoclonal antibody, clone B732M

Catalog # MAB6733 Size 1 mg

## Applications



#### Enzyme-linked Immunoabsorbent Assay

Suitable for use in ELISA. Each laboratory should determine an optimum working titer for use in its particular application.

| Specification       |   |
|---------------------|---|
| Product Description | Mouse monoclonal antibody raised against PSA (free).  |
| Immunogen           | Purified PSA.   |
| Host                | Mouse   |
| Reactivity          | Human   |
| Specificity         | Prostate Specific Antigen (PSA) Total   |
| Form                | Liquid  |
| Isotype             | lgG2b, kappa  |
| Recommend Usage     | The optimal working dilution should be determined by the end user.  |
| Storage Buffer      | In PBS, pH 7.4 (0.05% sodium azide)   |
| Storage Instruction | Store at 4°C. For long term storage store at-20°C.<br>Aliquot to avoid repeated freezing and thawing.                   |
| Note                | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |



### Applications

• Enzyme-linked Immunoabsorbent Assay

Suitable for use in ELISA. Each laboratory should determine an optimum working titer for use in its particular application.

#### Gene Info — KLK3

| Entrez GenelD      | <u>354</u>   |
|--------------------|--|
| Gene Name          | KLK3   |
| Gene Alias         | APS, KLK2A1, PSA, hK3  |
| Gene Description   | kallikrein-related peptidase 3   |
| Omim ID            | <u>176820</u>  |
| Gene Ontology      | Hyperlink  |
| Gene Summary       | Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing ev<br>idence suggests that many kallikreins are implicated in carcinogenesis and some have potential<br>as novel cancer and other disease biomarkers. This gene is one of the fifteen kallikrein subfamily<br>members located in a cluster on chromosome 19. Its protein product is a protease present in sem<br>inal plasma. It is thought to function normally in the liquefaction of seminal coagulum, presumably b<br>y hydrolysis of the high molecular mass seminal vesicle protein. Serum level of this protein, called<br>PSA in the clinical setting, is useful in the diagnosis and monitoring of prostatic carcinoma. Altern<br>ate splicing of this gene generates several transcript variants encoding different isoforms. [provid<br>ed by RefSeq |
| Other Designations | P-30 antigen gamma-seminoprotein kallikrein 3, (prostate specific antigen) prostate specific antig<br>en semenogelase seminin  |

#### Pathway

- Pathways in cancer
- Prostate cancer

#### Disease

Breast cancer

# 😵 Abnova

**Product Information** 

- Breast Neoplasms
- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Disease Progression
- Edema
- Genetic Predisposition to Disease
- Lymphatic Metastasis
- <u>Neoplasm Invasiveness</u>
- <u>Neoplasm Metastasis</u>
- <u>Neoplasm Recurrence</u>
- Neoplasms
- Prostate cancer
- Prostatic Hyperplasia
- Prostatic Neoplasms