

# CD59 monoclonal antibody, clone BRA-10G

Catalog # MAB6918

Size 100 ug

## Specification

Product Description	Mouse monoclonal antibody raised against native CD59.
Immunogen	Native purified CD59 from human K-562 tumor cells.
Host	Mouse
Reactivity	Human
Form	Liquid
Isotype	IgG1, kappa
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	In 50 mM sodium phosphate buffer, 100 mM potassium Chloride, 150 mM NaCl, pH 7.5 (0.5 mg/mL gentamicin sulfate)
Storage Instruction	Store at 4°C.

## Applications

- Immunohistochemistry (Frozen sections)
- Immunoprecipitation
- Flow Cytometry

## Gene Info — CD59

Entrez GeneID	<a href="#">966</a>
Gene Name	CD59

<b>Gene Alias</b>	16.3A5, 1F5, EJ16, EJ30, EL32, FLJ38134, FLJ92039, G344, HRF-20, HRF20, MAC-IP, MAC1 F, MEM43, MGC2354, MIC11, MIN1, MIN2, MIN3, MIRL, MSK21, p18-20
<b>Gene Description</b>	CD59 molecule, complement regulatory protein
<b>Omim ID</b>	<a href="#">107271</a>
<b>Gene Ontology</b>	<a href="#">Hyperlink</a>
<b>Gene Summary</b>	This gene encodes a cell surface glycoprotein that regulates complement-mediated cell lysis, and it is involved in lymphocyte signal transduction. This protein is a potent inhibitor of the complement membrane attack complex, whereby it binds complement C8 and/or C9 during the assembly of this complex, thereby inhibiting the incorporation of multiple copies of C9 into the complex, which is necessary for osmolytic pore formation. This protein also plays a role in signal transduction pathways in the activation of T cells. Mutations in this gene cause CD59 deficiency, a disease resulting in hemolytic anemia and thrombosis, and which causes cerebral infarction. Multiple alternatively spliced transcript variants, which encode the same protein, have been identified for this gene. [provided by RefSeq]
<b>Other Designations</b>	20 kDa homologous restriction factor CD59 antigen CD59 antigen p18-20 (antigen identified by monoclonal antibodies 16.3A5, EJ16, EJ30, EL32 and G344) CD59 glycoprotein Ly-6-like protein T cell-activating protein human leukocyte antigen MIC11 lymphocytic a

## Publication Reference

- [Analysis of the gene that encodes the complement regulatory protein, membrane inhibitor of reactive lysis \(CD59\). Identification of an alternatively spliced exon and characterization of the transcriptional regulatory regions of the promoter.](#)

Holguin MH, Martin CB, Eggett T, Parker CJ.

Journal of Immunology 1996 Aug; 157(4):1659.

Application: WB-Ce, Human, K-562, Jiyoye cells

## Pathway

- [Complement and coagulation cascades](#)
- [Hematopoietic cell lineage](#)

## Disease

- [Genetic Predisposition to Disease](#)
- [Lymphoma](#)

- [Macular Degeneration](#)