


Fto monoclonal antibody, clone 5-2H10

Catalog # MAB8175 Size 100 uL

Applications



Western Blot (Tissue lysate)

Western blot of rat testis lysate showing specific immunolabeling of the ~ 58 kDa Fto protein.

Specification	
Product Description	Mouse monoclonal antibody raised against synthetic peptide of Fto.
Immunogen	A synthetic peptide corresponding to N-terminus of rat Fto.
Host	Mouse
Theoretical MW (kDa)	58
Reactivity	Human, Mouse, Rat
Specificity	Specific for endogenous levels of the ~58 kDa FTO protein.
Form	Liquid
Purification	Protein G purification
lsotype	lgG
Recommend Usage	Immunofluorescence (1:100) Western Blot (1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM HEPES, 150 mM NaCl, pH 7.5 (50% glycerol, 0.1 mg/mL BSA).



Product Information

Storage Instruction

Store at -20°C. Aliquot to avoid repeated freezing and thawing.

Applications

• Western Blot (Tissue lysate)

Western blot of rat testis lysate showing specific immunolabeling of the ~ 58 kDa Fto protein.

Immunofluorescence

Publication Reference

Inactivation of the Fto gene protects from obesity.

Fischer J, Koch L, Emmerling C, Vierkotten J, Peters T, Bruning JC, Ruther U. Nature 2009 Feb; 458(7240):894.

• <u>The obesity gene, FTO, is of ancient origin, up-regulated during food deprivation and expressed in neurons of feeding-related nuclei of the brain.</u>

Fredriksson R, Hagglund M, Olszewski PK, Stephansson O, Jacobsson JA, Olszewska AM, Levine AS, Lindblom J, Schioth HB. Endocrinology 2008 May; 149(5):2062.