


GOT2 monoclonal antibody, clone 13

Catalog # MAB9900 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of HepG2 whole cell lystae with GOT2 monoclonal antibody, clone 13 (Cat # MAB9900) at 1:1000 dilution.

Specification	
Product Description	Mouse monoclonal antibody raised against partial recombinant GOT2.
Immunogen	Recombinant protein corresponding to amino acids 25-430 of human GOT2.
Host	Mouse
Reactivity	Human
Specificity	It can expression in HepG2 whole cell lysate.
Form	Liquid
Purification	Affinity purification
Isotype	lgG2b
Recommend Usage	Western blot (1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In Citrate-Tris-HCl buffer, pH 7.0 (0.02% Proclin 300)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.



Applications

Western Blot (Cell lysate)

Western blot analysis of HepG2 whole cell lystae with GOT2 monoclonal antibody, clone 13 (Cat # MAB9900) at 1:1000 dilution.

Enzyme-linked Immunoabsorbent Assay

Gene Info — GOT2	
Entrez GenelD	2806
GeneBank Accession#	NM_002080.2
Protein Accession#	NP_002071.2
Gene Name	GOT2
Gene Alias	FLJ40994, KAT4, KATIV, mitAAT
Gene Description	glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2)
Omim ID	138150
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Glutamic-oxaloacetic transaminase is a pyridoxal phosphate-dependent enzyme which exists in c ytoplasmic and inner-membrane mitochondrial forms, GOT1 and GOT2, respectively. GOT plays a role in amino acid metabolism and the urea and tricarboxylic acid cycles. The two enzymes are homodimeric and show close homology. [provided by RefSeq
Other Designations	aspartate aminotransferase 2 kynurenine aminotransferase IV

Pathway

- Alanine
- Arginine and proline metabolism
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of phenylpropanoids



- Biosynthesis of plant hormones
- Carbon fixation in photosynthetic organisms
- Cysteine and methionine metabolism
- Isoquinoline alkaloid biosynthesis
- Metabolic pathways
- Novobiocin biosynthesis
- Phenylalanine
- Phenylalanine metabolism
- Tyrosine metabolism