


Bioactive

FLT3 (Human) Recombinant Protein

Catalog # P4695 Size 100 ug

Applications



Result of activity analysis

Result of activity analysis

□

Specification

Product Description	Human FLT3 (NM_004119, 571 a.a. - 993 a.a.) partial recombinant protein with GST-His tag expressed in Sf9 cells.
Host	insect
Theoretical MW (kDa)	77.19799999999979
Form	Liquid
Preparation Method	Insect cell (Sf9) expression system
Purification	GST affinity chromatography
Concentration	0.109 ug/uL

Activity	212 pmol/ug x min
Quality Control Testing	2 ug/lane SDS-PAGE Stained with Coomassie Blue
Storage Buffer	In 50 mM Hepes, 100 mM NaCl, pH 7.5. (5 mM DTT, 15 mM reduced glutathione, 20% glycerol)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing
Note	Result of activity analysis Result of activity analysis

Applications

- Functional Study
- SDS-PAGE

Gene Info — FLT3

Entrez GeneID	2322
Protein Accession#	NM_004119
Gene Name	FLT3
Gene Alias	CD135, FLK2, STK1
Gene Description	fms-related tyrosine kinase 3
Omim ID	136351 601626
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a class III receptor tyrosine kinase that regulates hematopoiesis. The receptor consists of an extracellular domain composed of five immunoglobulin-like domains, one transmembrane region, and a cytoplasmic kinase domain split into two parts by a kinase-insert domain. The receptor is activated by binding of the fms-related tyrosine kinase 3 ligand to the extracellular domain, which induces homodimer formation in the plasma membrane leading to autophosphorylation of the receptor. The activated receptor kinase subsequently phosphorylates and activates multiple cytoplasmic effector molecules in pathways involved in apoptosis, proliferation, and differentiation of hematopoietic cells in bone marrow. Mutations that result in the constitutive activation of this receptor result in acute myeloid leukemia and acute lymphoblastic leukemia. [provided by RefSeq]

Other Designations

CD135 antigen|FL cytokine receptor|FLT3 receptor tyrosine kinase|OTTHUMP00000042340|fetal liver kinase 2|growth factor receptor tyrosine kinase type III|stem cell tyrosine kinase 1|tyrosine-protein kinase receptor FLT3

Pathway

- [Acute myeloid leukemia](#)
- [Cytokine-cytokine receptor interaction](#)
- [Hematopoietic cell lineage](#)
- [Pathways in cancer](#)

Disease

- [Acute Disease](#)
- [Cardiovascular Diseases](#)
- [Cell Transformation](#)
- [Chromosome Aberrations](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Down Syndrome](#)
- [Edema](#)
- [Fractures](#)
- [Genetic Predisposition to Disease](#)
- [Leukemia](#)
- [Leukocytosis](#)
- [Lymphoproliferative Disorders](#)
- [Myelodysplastic Syndromes](#)
- [Neoplasm](#)

- [Neovascularization](#)
- [Noonan Syndrome](#)
- [Osteoporosis](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Recurrence](#)
- [Tobacco Use Disorder](#)
- [Translocation](#)