


Bioactive

FGFR3 (K650E) (Human) Recombinant Protein

Catalog # P5552 Size 5 ug

Applications



Result of activity analysis

Result of activity analysis

□

Specification

Product Description	Human FGFR3 (NP_000133.1, 436 a.a. - 806 a.a.) K650E mutant partial recombinant protein with G ST tag expressed in baculovirus infected Sf21 cells.
Host	insect
Theoretical MW (kDa)	68
Form	Liquid
Preparation Method	Baculovirus infected insect cell (Sf21) expression system
Purification	Glutathione sepharose chromatography
Purity	53 % by SDS-PAGE/CBB staining

Activity	The activity was measured by off-chip mobility shift assay. The enzyme was incubated with fluorescence-labeled substrate and Mg(or Mn)/ATP. The phosphorylated and unphosphorylated substrates were separated and detected by LabChip 3000. Substrate: CSKtide. ATP: 100 uM.
Quality Control Testing	Loading 1 ug protein in SDS-PAGE
Storage Buffer	In 50 mM Tris-HCl, 150 mM NaCl, pH 7.5 (0.1% CHAPS, 1 mM DTT, 10% glycerol)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Result of activity analysis

Applications

- Functional Study
- SDS-PAGE

Gene Info — FGFR3

Entrez GeneID	2261
Protein Accession#	NP_000133.1
Gene Name	FGFR3
Gene Alias	ACH, CD333, CEK2, HSGFR3EX, JTK4
Gene Description	fibroblast growth factor receptor 3
Omim ID	100800 109800 134934 146000 149730 162900 187600 602849 603956 610474
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a member of the fibroblast growth factor receptor (FGFR) family, with its amino acid sequence being highly conserved between members and among divergent species. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein would consist of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member binds acidic and basic fibroblast growth hormone and plays a role in bone development and maintenance. Mutations in this gene lead to craniosynostosis and multiple types of skeletal dysplasia. Three alternatively spliced transcript variants that encode different protein isoforms have been described. [provided by RefSeq]

Other Designations

OTTHUMP00000149959|achondroplasia, thanatophoric dwarfism|hydroxyaryl-protein kinase|tyrosine kinase JTK4

Pathway

- [Bladder cancer](#)
- [Endocytosis](#)
- [MAPK signaling pathway](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)

Disease

- [Achondroplasia](#)
- [Alzheimer disease](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cheilitis](#)
- [Chromosome Aberrations](#)
- [Chromosome Deletion](#)
- [Cleft Lip](#)
- [Cleft Palate](#)

- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Craniosynostoses](#)
- [Diabetes Complications](#)
- [Disease Progression](#)
- [Genetic Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Intracranial Hypertension](#)
- [Kidney Neoplasms](#)
- [Lung Neoplasms](#)
- [Metabolic Syndrome X](#)
- [Musculoskeletal Abnormalities](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Osteochondrodysplasias](#)
- [Osteoporosis](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Recurrence](#)
- [Skin Neoplasms](#)
- [Sleep Apnea](#)
- [Syndrome](#)
- [Thanatophoric Dysplasia](#)

- [Ureteral Neoplasms](#)
- [Urinary Bladder Neoplasms](#)