

Bioactive


Full-Length

MAP2K6 (K82A) (Human) Recombinant Protein

Catalog # P5684

Size 50 ug

Applications



Result of activity analysis

Result of activity analysis

□

Specification

Product Description	Human MAP2K6 (NP_002749.2, 1 a.a. - 334 a.a.) K82A mutant full-length recombinant protein with GST tag expressed in <i>Escherichia coli</i> .
Host	<i>Escherichia coli</i>
Theoretical MW (kDa)	65
Form	Liquid
Preparation Method	<i>Escherichia coli</i> expression system
Purification	Glutathione sepharose chromatography
Purity	88 % by SDS-PAGE/CBB staining

Activity	The activity was determined by ELISA. The enzyme was incubated with GST-fused substrate protein, and after stopping kinase reaction by EDTA, the reaction solution was transferred into glutathione- coated plate. Phosphorylation was detected by anti-phospho antibody and HRP-labeled anti-rabbit Ig G. Substrate: p38a (9-352). ATP: 0.5 uM.
Quality Control Testing	Loading 1 ug protein in SDS-PAGE
Storage Buffer	In 50 mM Tris-HCl, 150 mM NaCl, pH 7.5 (0.1% CHAPS, 1 mM DTT, 10% glycerol)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Result of activity analysis

Applications

- Functional Study
- SDS-PAGE

Gene Info — MAP2K6

Entrez GeneID	5608
Protein Accession#	NP_002749.2
Gene Name	MAP2K6
Gene Alias	MAPKK6, MEK6, MKK6, PRKMK6, SAPKK3
Gene Description	mitogen-activated protein kinase kinase 6
Omim ID	601254
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a member of the dual specificity protein kinase family, which functions as a mitogen-activated protein (MAP) kinase kinase. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This protein phosphorylates and activates p38 MAP kinase in response to inflammatory cytokines or environmental stress. As an essential component of p38 MAP kinase mediated signal transduction pathway, this gene is involved in many cellular processes such as stress induced cell cycle arrest, transcription activation and apoptosis. [provided by RefSeq]
Other Designations	protein kinase, mitogen-activated, kinase 6 (MAP kinase kinase 6)

Pathway

- [Amyotrophic lateral sclerosis \(ALS\)](#)
- [Fc epsilon RI signaling pathway](#)
- [GnRH signaling pathway](#)
- [MAPK signaling pathway](#)
- [Toll-like receptor signaling pathway](#)

Disease

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Huntington disease](#)