


Bioactive

# MUSK (Human) Recombinant Protein

Catalog # P5732      Size 5 ug

## Applications



## Result of activity analysis

Result of activity analysis

## Specification

<b>Product Description</b>	Human MUSK (NP_005583.1, 527 a.a. - 869 a.a.) partial recombinant protein with GST tag expressed in Baculovirus infected Sf21 cells.
<b>Host</b>	insect
<b>Theoretical MW (kDa)</b>	66
<b>Form</b>	Liquid
<b>Preparation Method</b>	Baculovirus infected insect cell (Sf21) expression system
<b>Purification</b>	Glutathione sepharose chromatography
<b>Purity</b>	58 % by SDS-PAGE/CBB staining.

Activity	The activity was measured by off-chip mobility shift assay. The enzyme was incubated with fluorescence-labeled substrate and Mg (or Mn)/ATP. The phosphorylated and unphosphorylated substrates were separated and detected by LabChip™3000. Substrate : CSKtide. ATP: 100 μM.
Quality Control Testing	Loading 1 ug protein in SDS-PAGE
Storage Buffer	In 50 mM Tris-HCl, 150 mM NaCl, pH 7.5 (0.05% Brij35, 1 mM DTT, 10% glycerol)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Result of activity analysis

## Applications

- Functional Study
- SDS-PAGE

## Gene Info — MUSK

Entrez GeneID	<a href="#">4593</a>
Protein Accession#	<a href="#">NP_005583.1</a>
Gene Name	MUSK
Gene Alias	MGC126323, MGC126324
Gene Description	muscle, skeletal, receptor tyrosine kinase
Omim ID	<a href="#">601296 608931</a>
Gene Ontology	<a href="#">Hyperlink</a>

**Gene Summary**

Intercellular communication is often mediated by receptors on the surface of one cell that recognize and are activated by specific protein ligands released by other cells. Members of one class of cell surface receptors, receptor tyrosine kinases (RTKs), are characterized by having a cytoplasmic domain containing intrinsic tyrosine kinase activity. This kinase activity is regulated by the binding of a cognate ligand to the extracellular portion of the receptor. DeChiara et al. (1996) [PubMed 8653786] noted that the RTKs, known to be expressed in cell type-specific fashions, play a role critical for the growth and differentiation of those cell types. For example, members of the neural-specific TRK family that recognize nerve growth factor are absolutely required for the survival and development of discrete neuronal subpopulations, and the receptor tyrosine kinases TIE1 (MIM 600222) and TIE2 (MIM 600221) play a critical role in the development of normal blood vessels.[supplied by OMIM]

**Other Designations**

protein-tyrosine kinase|receptor tyrosine kinase|skeletal muscle receptor tyrosine kinase

**Disease**

- [Kidney Failure](#)