



Full-Length

MAPK11 (Human) Recombinant Protein

Catalog # P5773 Size 5 ug

Applications



Result of activity analysis

Result of activity analysis

Specification	
Product Description	Human MAPK11 (NP_002742.3, 1 a.a 364 a.a.) full length recombinant protein with GST tag expre ssed in <i>Escherichia coli</i> .
Host	Escherichia coli
Theoretical MW (kDa)	69
Form	Liquid
Preparation Method	Escherichia coli expression system
Purification	Glutathione sepharose chromatography
Purity	81 % by SDS-PAGE/CBB staining

Copyright © 2023 Abnova Corporation. All Rights Reserved.

🍟 Abnova	Product Information
Activity	The activity was measured by off-chip mobility shift assay. The enzyme was incubated with fluoresce nce-labeled substrate and Mg (or Mn)/ATP. The phosphorylated and unphosphorylated substrates w ere separated and detected by LabChip [™] 3000. Substrate : Modified Erktide. ATP: 100 µM.
Quality Control Testing	SDS-PAGE Stained with Coomassie Blue
Storage Buffer	In 50 mM Tris-HCl, 150 mM NaCl, pH 7.5 (0.05% Brij35, 1 mM DTT, 10% glycerol)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of activity analysis Result of activity analysis

Applications

- Functional Study
- SDS-PAGE

Gene Info — MAPK11	
Entrez GenelD	5600
Protein Accession#	<u>NP_002742.3</u>
Gene Name	MAPK11
Gene Alias	P38B, P38BETA2, PRKM11, SAPK2, SAPK2B, p38-2, p38Beta
Gene Description	mitogen-activated protein kinase 11
Omim ID	<u>602898</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular pro cesses such as proliferation, differentiation, transcription regulation, and development. This kinas e is most closely related to p38 MAP kinase, both of which can be activated by proinflammatory c ytokines and environmental stress. This kinase is activated through its phosphorylation by MAP kinase kinases (MKKs), preferably by MKK6. Transcription factor ATF2/CREB2 has been shown to be a substrate of this kinase. [provided by RefSeq



Product Information

Other Designations

OTTHUMP00000196655|mitogen-activated protein kinase p38 beta|mitogen-activated protein ki nase p38-2|stress-activated protein kinase-2|stress-activated protein kinase-2b

Pathway

- Amyotrophic lateral sclerosis (ALS)
- Epithelial cell signaling in Helicobacter pylori infection
- Fc epsilon RI signaling pathway
- GnRH signaling pathway
- Leukocyte transendothelial migration
- MAPK signaling pathway
- <u>Neurotrophin signaling pathway</u>
- <u>T cell receptor signaling pathway</u>
- Toll-like receptor signaling pathway
- VEGF signaling pathway

Disease

- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Edema
- HIV Infections