

## Bioactive

# LIF (Human) Recombinant Protein

Catalog # P6253      Size 100 ug

## Applications

### Result of activity analysis

#### Result of activity analysis

□

## Specification

<b>Product Description</b>	Human LIF (P15018) recombinant protein expressed in <i>E.Coli</i> .
<b>Sequence</b>	MSPLPITPVNATCAIRHPCHNNLMNQIRSQLAQLNGSANALFILYYTAQGEFPNNLDKLCGPNVTD FPPFHANGTEAKLVELYRIVVYLGTSLGNI TRDQKILNPSALSLHSKLNATADILRGLLSNVLCR LC SKYHVGHVDVTYGPDTSGKDVFQKKLGCQLLGKYKQIIAVLAQAF
<b>Host</b>	Escherichia coli
<b>Theoretical MW (kDa)</b>	19.8
<b>Form</b>	Lyophilized
<b>Purity</b>	>= 95%
<b>Endotoxin Level</b>	<= 1 EU/ug (Kinetic LAL)
<b>Activity</b>	ED <sub>50</sub> <= 200 pg/mL TF-1 cell proliferation
The values provided above are minimum expected values to pass internal requirements.	
<b>Quality Control Testing</b>	Reducing and Non-Reducing SDS PAGE
<b>Conformation</b>	Monomer

<b>Storage Buffer</b>	Lyophilized from a sterile (0.2 micron) filtered aqueous solution containing 0.1% Trifluoroacetic Acid (TFA).
<b>Storage Instruction</b>	Storage Prior to Reconstitution: -20°C. Stored at -20°C to -80°C for 12 month. After reconstitution with sterile 10 mM acetic acid at 0.1 mg/mL, store at -20°C to -80°C for 3 months , store at 4°C for 1 month. Aliquot to avoid repeated freezing and thawing.
<b>Note</b>	Result of activity analysis Result of activity analysis

## Applications

- Western Blot
- Functional Study

## Gene Info — LIF

Entrez GeneID	<a href="#">3976</a>
Protein Accession#	<a href="#">P15018</a>
Gene Name	LIF
Gene Alias	CDF, DIA, HILDA
Gene Description	leukemia inhibitory factor (cholinergic differentiation factor)
Omim ID	<a href="#">159540</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	The protein encoded by this gene is a pleiotropic cytokine with roles in several different systems. It is involved in the induction of hematopoietic differentiation in normal and myeloid leukemia cells, induction of neuronal cell differentiation, regulator of mesenchymal to epithelial conversion during kidney development, and may also have a role in immune tolerance at the maternal-fetal interface. [provided by RefSeq]
Other Designations	D factor cholinergic differentiation factor differentiation inhibitory activity differentiation stimulating factor

## Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)

## Disease

- [Abortion](#)
- [Arthritis](#)
- [Brain Ischemia](#)
- [Cardiovascular Diseases](#)
- [Cerebrovascular Accident](#)
- [Dementia](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Endometriosis](#)
- [Genetic Predisposition to Disease](#)
- [Infertility](#)
- [Memory](#)
- [Mental Disorders](#)
- [Multiple Sclerosis](#)
- [Neuropsychological Tests](#)
- [Obesity](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Schizophrenia](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)