

Bioactive

ITK (Human) Recombinant Protein

Catalog # P6506 Size 5 ug

Applications

Result of activity analysis

Result of activity analysis

Specification	
Product Description	Human ITK (NP_005537.3, 2 a.a 620 a.a.) partial recombinant protein with GST-tag at N-terminal u sing baculovirus expression system.
Host	Viruses
Form	Liquid
Preparation Method	Baculovirus expression system.
Purification	Glutathione sepharose chromatography.
Purity	0.85
Activity	The activity was measured by off-chip mobility shift assay (MSA). The enzyme was incubated with flu orecence-labeled substrate and Mg (or Mn)/ATP. The phosphorylated and unphosphorylated substrat es were separated and detected by MSA device. Substrate: Srctide, ATP: 100 uM.
Quality Control Testing	The purity was assessed by SDS-PAGE/CBB staining.
Storage Buffer	50 mM Tris-HCl, 150 mM NaCl, 0.05% Brij35, 1 mM DTT, 10% glycerol, pH7.5
Storage Instruction	Stored at -80°C. Aliquot to avoid repeated freezing and thawing.

😵 Abnova

Note

Result of activity analysis Result of activity analysis

Applications

• Functional Study

Gene Info — ITK

Entrez GenelD	3702
Protein Accession#	<u>NP_005537.3</u>
Gene Name	ПК
Gene Alias	EMT, LYK, MGC126257, MGC126258, PSCTK2
Gene Description	IL2-inducible T-cell kinase
Omim ID	<u>186973</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes an intracellular tyrosine kinase expressed in T-cells. The protein contains both SH2 and SH3 domains which are often found in intracellular kinases. It is thought to play a role in T-cell proliferation and differentiation. [provided by RefSeq
Other Designations	homolog of mouse T-cell itk/tsk tyrosine-protein kinase ITK/TSK tyrosine-protein kinase LYK

Pathway

- Chemokine signaling pathway
- Leukocyte transendothelial migration
- <u>T cell receptor signaling pathway</u>

Disease

• Asthma

🗑 Abnova

- <u>Celiac Disease</u>
- Eczema
- Genetic Predisposition to Disease
- <u>Hypersensitivity</u>