

Bioactive

MET (M1250T) (Human) Recombinant Protein

Catalog # P6523 Size 5 ug

Applications

Result of activity analysis

Result of activity analysis

Specification

Product Description	Human MET (NP_000236.2, 956 a.a. - 1390 a.a.) M1250T mutant partial recombinant protein with G ST-tag at N-terminal using baculovirus expression system.
Host	Viruses
Form	Liquid
Preparation Method	Baculovirus expression system.
Purification	Glutathione sepharose chromatography.
Purity	0.75
Activity	The activity was measured by off-chip mobility shift assay. The enzyme was incubated with fluorescein-labeled substrate and Mg (or Mn)/ATP. Substrate: Src tide, ATP: 100 uM.
Quality Control Testing	The purity was assessed by SDS-PAGE/CBB staining.
Storage Buffer	50 mM Tris-HCl, 150 mM NaCl, 0.05% Brij35, 1 mM DTT, 10% glycerol, pH7.5
Storage Instruction	Stored at -80°C. Aliquot to avoid repeated freezing and thawing.

Note

Result of activity analysis
Result of activity analysis

Applications

- Functional Study

Gene Info — MET

Entrez GeneID [4233](#)

Protein Accession# [NP_000236.2](#)

Gene Name MET

Gene Alias AUTS9, HGFR, RCCP2, c-Met

Gene Description met proto-oncogene (hepatocyte growth factor receptor)

Omim ID [114550](#) [164860](#) [605074](#) [611015](#)

Gene Ontology [Hyperlink](#)

Gene Summary The proto-oncogene MET product is the hepatocyte growth factor receptor and encodes tyrosine-kinase activity. The primary single chain precursor protein is post-translationally cleaved to produce the alpha and beta subunits, which are disulfide linked to form the mature receptor. Various mutations in the MET gene are associated with papillary renal carcinoma. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations HGF receptor|OTTHUMP00000069168|SF receptor|met proto-oncogene|met proto-oncogene tyrosine kinase|oncogene MET|scatter factor receptor

Pathway

- [Adherens junction](#)
- [Axon guidance](#)
- [Colorectal cancer](#)
- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)

- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [Focal adhesion](#)
- [Melanoma](#)
- [Pathways in cancer](#)
- [Renal cell carcinoma](#)

Disease

- [Adenocarcinoma](#)
- [Autistic Disorder](#)
- [Carcinoma](#)
- [Cell Transformation](#)
- [Child Development Disorders](#)
- [Chronic Disease](#)
- [Cognition Disorders](#)
- [Disease Progression](#)
- [Gastrointestinal Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Hyperparathyroidism](#)
- [Lung Neoplasms](#)
- [Myopia](#)
- [Nasal Polyps](#)
- [Neoplasm Metastasis](#)
- [Neoplasms](#)
- [Neuropsychological Tests](#)
- [Pancreatic cancer](#)

- [Pancreatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Refractive Errors](#)
- [Rhinitis](#)
- [Schizophrenia](#)
- [Sinusitis](#)
- [Skin Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)