

Bioactive


Full-Length

CNTF (Human) Recombinant Protein

Catalog # P6941

Size 100 ug

Applications



3 ug SDS-PAGE under reducing condition and visualized by coomassie blue stain.

Result of bioactivity analysis

Result of bioactivity analysis

Specification

Product Description	Human CNTF (NP_000605, 1 - 200 a.a.) full length recombinant protein expressed in <i>Escherichia coli</i> expression system.
Host	<i>Escherichia coli</i>
Theoretical MW (kDa)	22.9
Form	Liquid
Preparation Method	<i>Escherichia coli</i> expression system
Purity	> 90% by SDS-PAGE
Endotoxin Level	< 1 EU/ug

Activity	Human CNTF stimulates cell proliferation of the TF-1 human erythroleukemic cells. The ED ₅₀ range ≤ 500 ng/mL.
Quality Control Testing	SDS-PAGE Stained with Coomassie Blue 3 ug SDS-PAGE under reducing condition and visualized by coomassie blue stain.
Recommend Usage	SDS-PAGE The optimal working dilution should be determined by the end user.
Storage Buffer	In 20 mM Tris-HCl, 1 mM DTT, pH 8.0 (10% glycerol)
Storage Instruction	Store at 4°C for one week. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of bioactivity analysis Result of bioactivity analysis

Applications

- SDS-PAGE

Gene Info — CNTF

Entrez GeneID	1270
Protein Accession#	P26441
Gene Name	CNTF
Gene Alias	HCNTF
Gene Description	ciliary neurotrophic factor
Omim ID	118945
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a polypeptide hormone whose actions appear to be restricted to the nervous system where it promotes neurotransmitter synthesis and neurite outgrowth in certain neuronal populations. The protein is a potent survival factor for neurons and oligodendrocytes and may be relevant in reducing tissue destruction during inflammatory attacks. A mutation in this gene, which results in aberrant splicing, leads to ciliary neurotrophic factor deficiency, but this phenotype is not causally related to neurologic disease. A read-through transcript variant composed of ZFP91 and CNTF sequence has been identified, but it is thought to be non-coding. Read-through transcription of ZFP91 and CNTF has also been observed in mouse. [provided by RefSeq]

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Cardiovascular Diseases](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Eating Disorders](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Failure](#)
- [Mental Disorders](#)
- [Multiple Sclerosis](#)
- [Obesity](#)
- [Overweight](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Weight Gain](#)
- [Weight Loss](#)