


Bioactive

CSF2 (Human) Recombinant Protein

Catalog # P7150 Size 10 ug

Applications



Result of bioactivity analysis

Result of bioactivity analysis

□

Specification

Product Description	Human CSF2 (P04141, 18 a.a. - 144 a.a.) partial recombinant protein expressed in <i>Escherichia coli</i>
Sequence	VRSSSRTPSDKPVAVHVVANPQAEGLQWLNRRANALLANGVELRDNQLVVPSEGLYLYSQVLF KGQGCPSHVLTTHTISRIAVSYQTKVNLLSAIKSPCQRETPEGAEAKPWYEPYLGGVFQLEKGD RLSAEINRPDYLDFAESGQVYFGIAL
Host	<i>Escherichia coli</i>
Theoretical MW (kDa)	14
Form	Lyophilized
Preparation Method	<i>Escherichia coli</i> expression system

Purity	> 95% by SDS-PAGE
Endotoxin Level	< 1 EU per 1 ug of protein (determined by gel clotting method)
Activity	ED ₅₀ < 0.5 ng/ml, measured by proliferation assay of TF-1 cells, corresponding to a specific activity of > 2.0 x 10 ⁶ units/mg.
Quality Control Testing	2 ug protein in Reducing and Non-Reducing SDS PAGE Stained with Coomassie Blue
Storage Buffer	Lyophilized from sterile distilled Water up to 100 ug/ml
Storage Instruction	Store at 4°C to 8°C for 1 week. For long term storage store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of bioactivity analysis Result of bioactivity analysis

Applications

- Functional Study
- SDS-PAGE

Gene Info — CSF2

Entrez GeneID	1437
Protein Accession#	P04141
Gene Name	CSF2
Gene Alias	GMCSF, MGC131935, MGC138897
Gene Description	colony stimulating factor 2 (granulocyte-macrophage)
Omim ID	138960
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a cytokine that controls the production, differentiation, and function of granulocytes and macrophages. The active form of the protein is found extracellularly as a homodimer. This gene has been localized to a cluster of related genes at chromosome region 5q 31, which is known to be associated with interstitial deletions in the 5q- syndrome and acute myelogenous leukemia. Other genes in the cluster include those encoding interleukins 4, 5, and 13. [provided by RefSeq]

Other Designations

colony stimulating factor 2|granulocyte-macrophage colony stimulating factor|molgramostin|sargramostim

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Fc epsilon RI signaling pathway](#)
- [Hematopoietic cell lineage](#)
- [Jak-STAT signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [T cell receptor signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Blindness](#)
- [Brain Ischemia](#)
- [Bronchial Hyperreactivity](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chlamydia Infections](#)
- [Chorioamnionitis](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Dermatitis](#)

- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Erythema Nodosum](#)
- [Esophagitis](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Hypersensitivity](#)
- [Hypertension](#)
- [Infant](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Metabolic Syndrome X](#)
- [Migraine Disorders](#)
- [Neoplasms](#)
- [Neovascularization](#)
- [Obesity](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Pain](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Pulmonary Disease](#)

- [Radiation Injuries](#)
- [Radiation Pneumonitis](#)
- [Recurrence](#)
- [Respiratory Syncytial Virus Infections](#)
- [Rhinitis](#)
- [Sarcoidosis](#)
- [Stroke](#)
- [Thyroid Neoplasms](#)
- [Trachoma](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)