

Bioactive

HuPro®

IL2RA (Human) Recombinant Protein

Catalog # P7492

Size 10 ug

Specification

Product Description	Human IL2RA (P01859, 22 a.a. - 213 a.a.) partial recombinant protein with His tag expressed at N-terminus in HEK293 cell.
Sequence	ELCDDDPPEIPHATFKAMAYKEGTM LNCECKRGFRRIKSGSLYMLCTGNSSHSSWDNQCQCTSS ATRNTTKQVTPQP EEQKERKTTEMQSPMQPVDQASLP GHCREPPPWENEATERIYHFVVGQMV YYQCVQGYRALHRGPAESVCKMTHGKTRWTQPQLICTGEMETSQFPGEEKPQASPEGRPESET SC
Host	Human
Theoretical MW (kDa)	42
Form	Lyophilized
Preparation Method	Mammalian cell (HEK293) expression system
Purity	> 95% by SDS-PAGE
Endotoxin Level	< 0.2 EU per 1 ug of protein (determined by gel clotting method)
Activity	The ED ₅₀ was Determined by the ability to increase the proliferation effect of IL-2 in murine CTLL-2 cells. In the presence of 1.0 ng/mL of recombinant IL-2, is < 1.5 ug/mL.
Storage Buffer	Lyophilized from sterile distilled Water up to 100 ug/mL
Storage Instruction	Store at 4°C to 8°C for 1 week. For long term storage store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Functional Study
- SDS-PAGE

Gene Info — IL2RA

Entrez GeneID	3559
Protein Accession#	P01589
Gene Name	IL2RA
Gene Alias	CD25, IDDM10, IL2R, TCGFR
Gene Description	interleukin 2 receptor, alpha
Omim ID	147730 601942
Gene Ontology	Hyperlink
Gene Summary	The interleukin 2 (IL2) receptor alpha (IL2RA) and beta (IL2RB) chains, together with the common gamma chain (IL2RG), constitute the high-affinity IL2 receptor. Homodimeric alpha chains (IL2RA) result in low-affinity receptor, while homodimeric beta (IL2RB) chains produce a medium-affinity receptor. Normally an integral-membrane protein, soluble IL2RA has been isolated and determined to result from extracellular proteolysis. Alternately-spliced IL2RA mRNAs have been isolated, but the significance of each is presently unknown. [provided by RefSeq]
Other Designations	Interleukin-2 receptor OTTHUMP00000019030 OTTHUMP00000044870 interleukin 2 receptor, alpha chain

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)
- [Hematopoietic cell lineage](#)
- [Jak-STAT signaling pathway](#)

Disease

- [Acquired Immunodeficiency Syndrome](#)
- [Addison Disease](#)
- [Alopecia Areata](#)
- [Alzheimer Disease](#)

- [Arthritis](#)
- [Asthma](#)
- [Atrial Fibrillation](#)
- [Autoimmune Diseases](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Chorioamnionitis](#)
- [Colitis](#)
- [Connective Tissue Diseases](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Fetal Diseases](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Hyperparathyroidism](#)
- [Hypersensitivity](#)
- [Infant](#)
- [Infection](#)
- [Inflammation](#)
- [Lupus Erythematosus](#)
- [Measles](#)

- [Melanoma](#)
- [Multiple Sclerosis](#)
- [Mumps](#)
- [Musculoskeletal Diseases](#)
- [Obstetric Labor](#)
- [Prediabetic State](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostatic Neoplasms](#)
- [Respiratory Syncytial Virus Infections](#)
- [Rubella](#)
- [Skin Diseases](#)
- [Thyroid Diseases](#)
- [Vasculitis](#)
- [Vitiligo](#)