

Bioactive

NGR1 (Human) Recombinant Protein

Catalog # P7513

Size 10 ug

Specification

Product Description	Human NRG1 (Q02297-6, 176 a.a. - 246 a.a.) partial recombinant protein expressed in CHO cell.
Sequence	TSHLVKCAEKEKTFVNGGECFMVKDLSNPSRYLCKCPNEFTGDRCQNYVMASFYKHLGIEFME AEELYQK
Host	Mammals
Theoretical MW (kDa)	7.5
Form	Lyophilized
Preparation Method	Mammalian cell (CHO) expression system
Purity	> 95% by SDS-PAGE
Endotoxin Level	< 0.2 EU per 1 ug of protein (determined by gel clotting method)
Activity	The ED ₅₀ was determined by the dose-dependent stimulation of the proliferation of human MCF-7 cells is < 5.0 ng/mL.
Storage Buffer	Lyophilized from sterile distilled Water up to 100 ug/mL
Storage Instruction	Store at 4°C to 8°C for 1 week. For long term storage store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Functional Study
- SDS-PAGE

Gene Info — NRG1

Entrez GeneID [3084](#)

Protein Accession# [Q02297-6](#)

Gene Name NRG1

Gene Alias ARIA, GGF, GGF2, HGL, HRG, HRG1, HRGA, NDF, SMDF

Gene Description neuregulin 1

Omim ID [142445 603013](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene was originally identified as a 44-kD glycoprotein that interacts with the NEU/ERBB2 receptor tyrosine kinase to increase its phosphorylation on tyrosine residue s. This protein is a signaling protein that mediates cell-cell interactions and plays critical roles in th e growth and development of multiple organ systems. It is known that an extraordinary variety of di fferent isoforms are produced from this gene through alternative promoter usage and splicing. Th ese isoforms are tissue-specifically expressed and differ significantly in their structure, and thereb y these isoforms are classified into types I, II, III, IV, V and VI. The gene dysregulation has been lin ked to diseases such as cancer, schizophrenia and bipolar disorder (BPD). [provided by RefSeq

Other Designations

glial growth factor|heregulin, alpha (45kD, ERBB2 p185-activator)|neu differentiation factor|neureg ulin 1 isoform HRG-gamma|sensory and motor neuron derived factor

Pathway

- [ErbB signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Amphetamine-Related Disorders](#)
- [Anoxia](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Atrophy](#)

- [Attention](#)
- [Autistic Disorder](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Carotid Artery Diseases](#)
- [Chronic Disease](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Dominance](#)
- [Edema](#)
- [Extraversion \(Psychology\)](#)
- [Genetic Predisposition to Disease](#)
- [Hirschsprung Disease](#)
- [Infant](#)
- [Inhibition \(Psychology\)](#)
- [Intelligence Tests](#)
- [Leukomalacia](#)
- [Memory](#)
- [Mental Disorders](#)
- [Mental Recall](#)
- [Mental Retardation](#)
- [Neuropsychological Tests](#)
- [Neurotic Disorders](#)

- [Obstetric Labor Complications](#)
- [Perceptual Disorders](#)
- [Personality Tests](#)
- [Psychiatric Status Rating Scales](#)
- [Psychomotor Performance](#)
- [Psychoses](#)
- [Psychotic Disorders](#)
- [Reaction Time](#)
- [Recurrence](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Schizotypal Personality Disorder](#)
- [Space Perception](#)
- [Speech Disorders](#)
- [Startle Reaction](#)
- [Stress](#)
- [Task Performance and Analysis](#)
- [Tobacco Use Disorder](#)