


Bioactive

CD80 (Human) Recombinant Protein


Catalog # P8026 Size 100 ug

Applications



Result of bioactivity analysis

Result of bioactivity analysis



Specification

Product Description

Human CD80 (P33681, 35 a.a. - 242 a.a.) partial length recombinant protein with His tag expressed in Baculovirus expression system.

Sequence

VIHVTKEVKEVATLSCGHNVSVLELAQTRVWQKEKKMVLTMMSGDMNIWPEYKNRTIFDITNNLSI
VILALRPSDEGTYESVVLKYEKDAFKREHLAEVTLVKADFPTPSISDFEIPSTNIRRICSTSGGFPE
PHLSWLENGEELNAINTTVSQDPETELYAVSSKLDFNMTTNHSMCLIKYGHRLRVNQTFNWNTTK
QEHFPDN

Host

Viruses

Theoretical MW (kDa)

24.9

Form	Liquid
Preparation Method	Baculovirus expression system
Purity	> 95% by SDS-PAGE
Endotoxin Level	< 1 EU per 1 ug of protein (determined by LAL method)
Activity	Measured by the binding ability in a functional ELISA with Human CD28
Quality Control Testing	3 ug by SDS-PAGE under reducing condition and visualized by Coomassie blue stain.
Storage Buffer	In Phosphate-Buffer Saline pH 7.4 (10% glycerol)
Storage Instruction	Store at 2°C to 8°C for 1 week. For long term storage, aliquot and store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of bioactivity analysis Result of bioactivity analysis

Applications

- Functional Study
- SDS-PAGE

Gene Info — CD80

Entrez GeneID	941
Protein Accession#	P33681
Gene Name	CD80
Gene Alias	CD28LG, CD28LG1, LAB7
Gene Description	CD80 molecule
Omim ID	112203
Gene Ontology	Hyperlink
Gene Summary	The B-lymphocyte activation antigen B7-1 (formerly referred to as B7) provides regulatory signals for T lymphocytes as a consequence of binding to the CD28 (MIM 186760) and CTLA4 (MIM 123 890) ligands of T cells.[supplied by OMIM]

Other Designations

B-lymphocyte activation antigen B7|CD80 antigen|CD80 antigen (CD28 antigen ligand 1, B7-1 antigen)|costimulatory factor CD80|costimulatory molecule variant IgV-CD80

Pathway

- [Allograft rejection](#)
- [Autoimmune thyroid disease](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Graft-versus-host disease](#)
- [Systemic lupus erythematosus](#)
- [Toll-like receptor signaling pathway](#)
- [Type I diabetes mellitus](#)

Disease

- [Arthritis](#)
- [Asthma](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Celiac Disease](#)
- [Disease Progression](#)
- [Genetic Predisposition to Disease](#)
- [Hepatitis C](#)
- [Infant](#)
- [Liver Neoplasms](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Multiple Sclerosis](#)

- [Papillomavirus Infections](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)
- [Sarcoidosis](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Viremia](#)
- [Werner syndrome](#)