

IL17F (Human) Recombinant Protein

Catalog # P8368

Size 5 ug

Specification

Product Description	Human IL17F (Q96PD4, 31 a.a. - 163 a.a.) partial recombinant protein with His-tag at C-terminus expressed in Sf9 cells.
Sequence	ADPRKIPKVGHTFFQKPESCPPVPGGSMKLDIGIINENQRVSMRNIESRSTSPWNYTVTWDPNRY PSEVVQAQCRNLGCINAQGKEDISMNSVPIQQETLVVRRKHQGCSVSFQLEKVLVTVGCTCVTP VIHHVQHHHHHH
Host	insect
Theoretical MW (kDa)	16
Form	Liquid
Preparation Method	Sf9 cell expression system
Purity	> 95% by SDS-PAGE
Recommend Usage	Biological Activity SDS-PAGE The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS pH 7.4 (1mM DTT, 20% glycerol)
Storage Instruction	Store at 2°C to 8°C for 1 week. For long term storage, aliquot and store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- SDS-PAGE

Gene Info — IL17F

Entrez GeneID

[112744](#)

Protein Accession#	Q96PD4
Gene Name	IL17F
Gene Alias	IL-17F, ML-1, ML1
Gene Description	interleukin 17F
Omim ID	606496
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a cytokine that shares sequence similarity with IL17. This cytokine is expressed by activated T cells, and has been shown to stimulate the production of several other cytokines, including IL6, IL8, and CSF2/GM-CSF. This cytokine is also found to inhibit the angiogenesis of endothelial cells and induce endothelial cells to produce IL2, TGFB1/TGFB, and monocyte chemoattractant protein-1. [provided by RefSeq]
Other Designations	cytokine ML-1

Disease

- [Arthritis](#)
- [Asthma](#)
- [Behcet Syndrome](#)
- [Cardiovascular Diseases](#)
- [Colitis](#)
- [Crohn Disease](#)
- [Dermatitis](#)
- [Diabetes Mellitus](#)
- [Dyspepsia](#)
- [Edema](#)
- [Fatigue Syndrome](#)
- [Genetic Predisposition to Disease](#)
- [Helicobacter Infections](#)
- [Inflammation](#)

- [Inflammatory Bowel Diseases](#)
- [Myocardial Infarction](#)
- [Psoriasis](#)
- [Pulmonary Disease](#)
- [Stomach Neoplasms](#)