

Bioactive

CCL14 (Human) Recombinant Protein

Catalog # P9476 Size 2 x 10 ug

| Specification | |
|----------------------|---|
| Product Description | Human CCL14 (Q16627, 28 a.a 93 a.a.) partial recombinant protein expressed in <i>Escherichia coli</i> . |
| Sequence | GPYHPSECCFTYTTYKIPRQRIMDYYETNSQCSKPGIVFITKRGHSVCTNPSDKWVQDYIKDMKEN |
| Host | Escherichia coli |
| Theoretical MW (kDa) | 7.8 |
| Form | Lyophilized |
| Preparation Method | Escherichia coli expression system |
| Purity | > 97.0% by SDS-PAGE |
| Activity | The Biological activity is 5 - 20 ng/mL, was determined by the ability to chemoattract Human monocyt es. |
| Recommend Usage | Biological Activity SDS-PAGE The optimal working dilution should be determined by the end user. |
| Storage Buffer | Lyophilized from sterile distilled Water is > 100 ug/mL |
| Storage Instruction | Store at 2°C to 8°C for 1 week. For long term storage, aliquot and store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing. |

Applications

- Functional Study
- SDS-PAGE



| Gene Info — CCL14 | |
|--------------------|--|
| Entrez GenelD | 6358 |
| Protein Accession# | Q16627 |
| Gene Name | CCL14 |
| Gene Alias | CC-1, CC-3, CKb1, HCC-1, HCC-3, MCIF, NCC-2, NCC2, SCYA14, SCYL2, SY14 |
| Gene Description | chemokine (C-C motif) ligand 14 |
| Omim ID | 601392 |
| Gene Ontology | <u>Hyperlink</u> |
| Gene Summary | This gene, CCL14, is one of several CC cytokine genes clustered on 17q11.2. The CC cytokines are secreted proteins characterized by two adjacent cysteines. The cytokine encoded by this gen e induces changes in intracellular calcium concentration and enzyme release in monocytes. Multip le transcript variants encoding different isoforms have been found for this gene. Read-through tran scripts are also expressed that include exons from the upstream cytokine gene CCL15, and are r epresented as GeneID: 348249. [provided by RefSeq |
| Other Designations | OTTHUMP00000176860 chemokine CC-1 chemokine CC-3 small inducible cytokine subfamily A (Cys-Cys), member 14 |

Pathway

- Chemokine signaling pathway
- Cytokine-cytokine receptor interaction

Disease

- Asthma
- Bronchiolitis
- Genetic Predisposition to Disease
- Infant
- Lupus Erythematosus



- Multiple Sclerosis
- Respiratory Syncytial Virus Infections
- Tobacco Use Disorder