

Bioactive

## CD47 (Human) Recombinant Protein

Catalog # P9666 Size 2 x 10 ug

Specification	
Product Description	Human CD47 (Q08722, 19 a.a 141 a.a.) partial recombinant protein with hlgG-His tag at C-terminus expressed in Sf9 cells.
Sequence	QLLFNKTKSVEFTFCNDTVVIPCFVTNMEAQNTTEVYVKWKFKGRDIYTFDGALNKSTVPTDFSSA KIEVSQLLKGDASLKMDKSDAVSHTGNYTCEVTELTREGETIIELKYRVVSWFSPNELEPKSCDKT HTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDP_x005F_x000Dx000DEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEK TISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLD SDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGKHHHHHH
Host	insect
Theoretical MW (kDa)	40.9
Form	Liquid
Preparation Method	Sf9 cell expression system
Purity	> 95.0% by SDS-PAGE
Activity	The ED <sub>50</sub> is < 100 ng/mL was determined by binding ability in functional ELISA with Human SIRP alp ha/CD172a.
Recommend Usage	Biological Activity SDS-PAGE The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS pH 7.4 (10% glycerol)
Storage Instruction	Store at 2°C to 8°C for 2-4 week. For long term storage, aliquot and store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.

## Applications

Functional Study



SDS-PAGE

Gene Info — CD47	
Entrez GenelD	<u>961</u>
Protein Accession#	Q08722
Gene Name	CD47
Gene Alias	IAP, MER6, OA3
Gene Description	CD47 molecule
Omim ID	601028
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes a membrane protein, which is involved in the increase in intracellular calcium concentration that occurs upon cell adhesion to extracellular matrix. The encoded protein is also a receptor for the C-terminal cell binding domain of thrombospondin, and it may play a role in memb rane transport and signal transduction. This gene has broad tissue distribution, and is reduced in expression on Rh erythrocytes. Four alternatively spliced transcript variants encoding distinct isof orms have been found for this gene. [provided by RefSeq
Other Designations	CD47 antigen CD47 antigen (Rh-related antigen, integrin-associated signal transducer) CD47 gly coprotein Rh-related antigen antigen identified by monoclonal antibody 1D8 antigenic surface det erminant protein OA3 integrin associated protein integrin-associa

## Pathway

ECM-receptor interaction