


Bioactive

HuPi

# APLN (Human) Recombinant Protein


Catalog # P9933 Size 100 ug

## Applications



#### Enzyme-linked Immunoabsorbent Assay

Immobilized Human APLN, hFc Tag at 0.5 ug/mL (100 uL/Well) on the plate. Dose response curve for Biotinylated Anti-APLN Antibody, hFc Tag with the EC50 of 22.2 ng/mL determined by ELISA.



#### **Tris-Bis PAGE**

Human APLN on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

Specification	
Product Description	Human APLN (Q9ULZ1, Gly23-Phe77) partial recombinant protein with hFc tag at C-Terminus expre ssed in HEK293 cells.
Sequence	Gly23-Phe77
Host	Human
Theoretical MW (kDa)	32.9
Form	Lyophilized
Preparation Method	Mammalian cell (HEK293) expression system



**Product Information** 

Purity	> 95% as determined by Tris-Bis PAGE
Endotoxin Level	< 1 EU per 1 ug of protein (determined by LAL method)
Activity	The EC <sub>50</sub> was 22.2 ng/mL, messured by ELISA at 0.5 ug/mL.
Quality Control Testing	Tris-Bis PAGE
	Tris-Bis PAGE Human APLN on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.
Recommend Usage	Biological Activity
	ELISA
	SDS-PAGE
	The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from sterile distilled Water is > 100 ug/mL
Storage Instruction	Store at 2°C to 8°C for 1 week. For long term storage, aliquot and store at -20°C to -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Result of bioactivity analysis

## Applications

• Enzyme-linked Immunoabsorbent Assay

Immobilized Human APLN, hFc Tag at 0.5 ug/mL (100 uL/Well) on the plate. Dose response curve for Biotinylated Anti-APLN Antibody, hFc Tag with the EC50 of 22.2 ng/mL determined by ELISA.

- Functional Study
- SDS-PAGE

Gene Info — APLN		
Entrez GenelD	8862	
Protein Accession#	Q9ULZ1	
Gene Name	APLN	
Gene Alias	XNPEP2	
Gene Description	apelin	
Omim ID	300297	

# 😵 Abnova

## **Product Information**

Gene Ontology	Hyperlink
Gene Summary	Apelin is a neuropeptide expressed in the supraoptic and paraventricular nuclei that acts on speci fic receptors located on vasopressinergic neurons (De Mota et al., 2004) [PubMed 15231996].[su pplied by OMIM
Other Designations	apelin, AGTRL1 ligand peptide ligand for APJ receptor

## Pathway

<u>Neuroactive ligand-receptor interaction</u>

#### Disease

- Cardiomyopathy
- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Disease Progression
- Edema
- Hypertension