

Goat Anti-Cat IgG F(ab')₂ secondary antibody (Biotin)

Catalog # PAB10473

Size 2 mg

Specification

Product Description	Goat anti-cat IgG recognizes cat IgG F(ab') ₂ fragment. This secondary antibody was purified using a ntigen affinity chromatography. The antibody is conjugated with Biotin.
Immunogen	Cat IgG F(ab') ₂ fragment
Host	Goat
Reactivity	Cat
Form	Lyophilized
Conjugation	Biotin
Purification	This product was prepared from monospecific antiserum by immunoaffinity chromatography, followed by solid phase adsorption(s) to remove any unwanted reactivities.
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from 10 mM KH ₂ PO ₄ , 150 mM NaCl, pH 7.2 (0.01% sodium azide)
Storage Instruction	Store at 4°C on dry atmosphere. After reconstitution with 1 mL of deionized water, store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry
- Immunofluorescence

- Enzyme-linked Immunoabsorbent Assay

Publication Reference

- [Protein biotinylation.](#)

Bayer EA, Wilchek M.

Methods in Enzymology 2003 Dec; 184:138.