

## Rabbit Anti-Guinea pig IgG (H&L) secondary antibody (Rhodamine)

Catalog # PAB10625 Size 2 mg

| Specification       |   |
|---------------------|---|
| Product Description | Rabbit anti-guinea pig IgG recognizes Guinea pig IgG whole molecule. This secondary antibody was purified using antigen affinity chromatography. The antibody is conjugated with Rhodamine. |
| Immunogen           | Guinea pig lgG whole molecule   |
| Host                | Rabbit  |
| Reactivity          | Guinea pig  |
| Form                | Liquid  |
| Conjugation         | Rhodamine (TRITC)   |
| Purification        | This product was prepared from monospecific antiserum by immunoaffinity chromatography, followe d by solid phase adsorption(s) to remove any unwanted reactivities.                         |
| Conjugation Note    | 2.3 moles TRITC per mole of rabbit lgG  |
| Recommend Usage     | The optimal working dilution should be determined by the end user.  |
| Storage Buffer      | In 20 mM KH <sub>2</sub> PO <sub>4</sub> , 150 mM NaCl, pH 7.2 (0.01% sodium azide)   |
| Storage Instruction | Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.   |
| Note                | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.   |
|                     |   |

## Applications

- Immunofluorescence
- Flow Cytometry



## Publication Reference

• Texas Red, a hydrophilic, red-emitting fluorophore for use with fluorescein in dual parameter flow microfluorometric and fluorescence microscopic studies.

J A Titus, R Haugland, S O Sharrow, D M Segal.

Journal of Immunological Methods 1982 Apr; 50(2):193.