

## Goat Anti-Horse IgG (H&L) secondary antibody (Peroxidase)

Catalog # PAB10645 Size 2 mg

| Specification       |   |
|---------------------|---|
| Product Description | Goat anti-horse IgG recognizes horse IgG whole molecule. This secondary antibody was purified usin g antigen affinity chromatography. The antibody is conjugated with Peroxidase. |
| Immunogen           | Horse IgG whole molecule  |
| Host                | Goat  |
| Reactivity          | Horse   |
| Form                | Lyophilized   |
| Conjugation         | HRP   |
| Purification        | This product was prepared from monospecific antiserum by immunoaffinity chromatography, followe d by solid phase adsorption(s) to remove any unwanted reactivities.               |
| Isotype             | lgG   |
| Recommend Usage     | The optimal working dilution should be determined by the end user.  |
| Storage Buffer      | Lyophilized from 20 mM KH <sub>2</sub> PO <sub>4</sub> , 150 mM NaCl, pH 7.2 (0.01% gentamicin sulfate)   |
| Storage Instruction | Store at 4°C on dry atmosphere.  After reconstitution with 1 mL of deionized water, store at -20°C or lower.  Aliquot to avoid repeated freezing and thawing.                     |

## **Applications**

- Western Blot
- Immunohistochemistry
- Enzyme-linked Immunoabsorbent Assay



- Dot Blot
- Enzyme Immunoassay

## **Publication Reference**

• Immunohistochemistry with enzyme labeled antibodies: a brief review.

Farr AG, Nakane PK.

J Immunol Methods 1981 Jan; 47(2):129.