

## Goat Anti-Rabbit IgG F(c) secondary antibody (Alkaline Phosphatase)

Catalog # PAB10835 Size 1 mg

| Specification       |   |
|---------------------|---|
| Product Description | Goat anti-rabbit IgG recognizes rabbit IgG F(c) fragment. This secondary antibody was purified using antigen affinity chromatography. The antibody is conjugated with Alkaline Phosphatase. |
| Immunogen           | Rabbit IgG F(c) fragment  |
| Host                | Goat  |
| Reactivity          | Rabbit  |
| Form                | Liquid  |
| Conjugation         | Alkaline Phosphatase (Calf Intestine)   |
| Purification        | This product was prepared from monospecific antiserum by immunoaffinity chromatography, followe d by solid phase adsorption(s) to remove any unwanted reactivities.                         |
| Recommend Usage     | The optimal working dilution should be determined by the end user.  |
| Storage Buffer      | In 50 mM Tris-CI, 150 mM NaCI, 1 mM MgCl, 0.1 mM ZnCl <sub>2</sub> , 50% (v/v) glycerol, pH 8.0 (0.01% sodiu m azide)   |
| Storage Instruction | Store at 4°C. Do not Freeze.  |
| Note                | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.   |

## **Applications**

- Western Blot
- Immunohistochemistry
- Enzyme-linked Immunoabsorbent Assay



- Dot Blot
- Enzyme Immunoassay

## **Publication Reference**

• Peroxidase labelled antibody and Fab conjugates with enhanced intracellular penetration.

Avrameas S, Ternynck T.

Immunochemistry 1971 Dec; 8(12):1175.