


BIRC5 (phospho S20) polyclonal antibody

Catalog # PAB12471

Size 100 uL

Applications



Western Blot (Recombinant protein)

Western blot detecting phosphorylated recombinant protein (+), but not in unphosphorylated protein (-) with BIRC5 (phospho S20) polyclonal antibody (Cat # PAB12471).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic phosphopeptide of BIRC5.
Immunogen	Synthetic phosphopeptide corresponding to residues surrounding S20 of human BIRC5.
Host	Rabbit
Reactivity	Human
Form	Liquid
Recommend Usage	Western Blot (3 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (30% glycerol, 0.09% sodium azide)
Storage Instruction	Store at 4°C for short term. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Recombinant protein)

Western blot detecting phosphorylated recombinant protein (+), but not in unphosphorylated protein (-) with BIRC5 (phospho S20) polyclonal antibody (Cat # PAB12471).

Gene Info — BIRC5

Entrez GeneID	332
Protein Accession#	O15392
Gene Name	BIRC5
Gene Alias	API4, EPR-1
Gene Description	baculoviral IAP repeat-containing 5
Omim ID	603352
Gene Ontology	Hyperlink
Gene Summary	This gene is a member of the inhibitor of apoptosis (IAP) gene family, which encode negative regulatory proteins that prevent apoptotic cell death. IAP family members usually contain multiple baculovirus IAP repeat (BIR) domains, but this gene encodes proteins with only a single BIR domain. The encoded proteins also lack a C-terminus RING finger domain. Gene expression is high during fetal development and in most tumors yet low in adult tissues. Antisense transcripts are involved in the regulation of this gene's expression. At least four transcript variants encoding distinct isoforms have been found for this gene, but the full-length natures of only three of them have been determined. [provided by RefSeq]
Other Designations	apoptosis inhibitor 4 baculoviral IAP repeat-containing protein 5 survivin variant 3 alpha

Publication Reference

- [Compartmentalized phosphorylation of IAP by protein kinase A regulates cytoprotection.](#)

Dohi T, Xia F, Altieri DC.

Molecular Cell 2007 Jul; 27(1):17.

Application: WB, Human, HeLa, INS-1, MCF-7 cells

Pathway

- [Colorectal cancer](#)
- [Pathways in cancer](#)

Disease

- [Adenocarcinoma](#)
- [Carcinoma](#)
- [Cell Transformation](#)
- [Colorectal Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neovascularization](#)
- [Pancreatic Neoplasms](#)
- [Papillomavirus Infections](#)
- [Stomach Neoplasms](#)
- [Urologic Neoplasms](#)
- [Uterine Cervical Neoplasms](#)