


DEDD2 polyclonal antibody

Catalog # PAB12889 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of DEDD2 in Raw 264.7 cell lysate with DEDD2 polyclonal antibody (Cat # PAB12889) at 0.5, 1 and 2 ug/mL .

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of DEDD2.
Immunogen	A synthetic peptide corresponding to N-terminus 11 amino acids of human DEDD2.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Recommend Usage	Western Blot (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of DEDD2 in Raw 264.7 cell lysate with DEDD2 polyclonal antibody (Cat # PAB12889) at 0.5, 1 and 2 ug/mL .

Gene Info — DEDD2

Entrez GeneID	162989
Protein Accession#	NP_579874
Gene Name	DEDD2
Gene Alias	FLAME-3
Gene Description	death effector domain containing 2
Gene Ontology	Hyperlink
Other Designations	death effector domain-containing DNA binding protein 2 death effector domain-containing DNA binding protein 2

Publication Reference

- [The death effector domain protein family: regulators of cellular homeostasis.](#)

Tibbetts MD, Zheng L, Lenardo MJ.

Nature Immunology 2003 May; 4(5):404.

Application: WB, Human, Mammalian cells

- [DEDD and DEDD2 associate with caspase-8/10 and signal cell death.](#)

Alcivar A, Hu S, Tang J, Yang X.

Oncogene 2003 Jan; 22(2):291.

- [Identification and characterization of DEDD2, a death effector domain-containing protein.](#)

Roth W, Stenner-Liewen F, Pawlowski K, Godzik A, Reed JC.

The Journal of Biological Chemistry 2002 Mar; 277(9):7501.