


AES polyclonal antibody

Catalog # PAB13166 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of AES in 293 cell lysate with AES polyclonal antibody (Cat # PAB13166) at (A) 2 and (B) 4 ug/mL .



Immunocytochemistry

Immunocytochemistry of AES in 293 cells with AES polyclonal antibody (Cat # PAB13166) at 10 ug/mL .

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of AES.
lmmunogen	A synthetic peptide corresponding to N-terminus 16 amino acids of human AES.
Host	Rabbit
Reactivity	Human, Mouse
Form	Liquid
Recommend Usage	Western Blot (2-4 ug/mL) The optimal working dilution should be determined by the end user.



Product Information

Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of AES in 293 cell lysate with AES polyclonal antibody (Cat # PAB13166) at (A) 2 and (B) 4 ug/mL .

Immunocytochemistry

Immunocytochemistry of AES in 293 cells with AES polyclonal antibody (Cat # PAB13166) at 10 ug/mL.

Gene Info — AES	
Entrez GenelD	<u>166</u>
Protein Accession#	NP_945320
Gene Name	AES
Gene Alias	AES-1, AES-2, ESP1, GRG, GRG5, TLE5
Gene Description	amino-terminal enhancer of split
Omim ID	600188
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is similar in sequence to the amino terminus of Drosophila enhancer of split groucho, a protein involved in neurogenesis during embryonic development. The encoded protein, which belongs to the groucho/TLE family of proteins, can function as a homooligom er or as a heteroologimer with other family members to dominantly repress the expression of othe r family member genes. Three transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq
Other Designations	-

Publication Reference



Regulation of Bcl-2 proteins during anoikis and amorphosis.

Martin SS, Vuori K.

Biochimica et Biophysica Acta 2004 Jul; 1692(2-3):145.

• A mitochondrial protein, Bit1, mediates apoptosis regulated by integrins and Groucho/TLE corepressors.

Jan Y, Matter M, Pai JT, Chen YL, Pilch J, Komatsu M, Ong E, Fukuda M, Ruoslahti E. Cell 2004 Mar; 116(5):751.

• Groucho/TLE family proteins and transcriptional repression.

Chen G, Courey AJ.

Gene 2000 May; 249(1-2):1.