


SLITRK2 polyclonal antibody


Catalog # PAB13330 Size 100 ug

Applications



Western Blot (Tissue lysate)

Western blot analysis of SLITRK2 in mouse brain tissue lysate with SLITRK2 polyclonal antibody (Cat # PAB13330) at (A) 1 and (B) 2 ug/mL .



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemistry of SLITRK2 in human brain tissue with SLITRK2 polyclonal antibody (Cat # PAB13330) at 2.5 ug/mL .

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of SLITRK2.
lmmunogen	A synthetic peptide corresponding to internal region 16 amino acids of human SLITRK2.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Recommend Usage	Western Blot (1-2 ug/mL) The optimal working dilution should be determined by the end user.



Product Information

Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Tissue lysate)

Western blot analysis of SLITRK2 in mouse brain tissue lysate with SLITRK2 polyclonal antibody (Cat # PAB13330) at (A) 1 and (B) 2 ug/mL .

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

 $Immun ohistochem is try of SLITRK2 in human brain tissue with SLITRK2 polyclonal antibody (Cat \# PAB13330) at 2.5 ug/mL \ .$

Gene Info — SLITRK2	
Entrez GenelD	<u>84631</u>
Protein Accession#	Q9H156
Gene Name	SLITRK2
Gene Alias	CXorf2, DKFZp451E1911, KIAA1854, MGC129912, MGC129913, SLITL1
Gene Description	SLIT and NTRK-like family, member 2
Omim ID	<u>300561</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Members of the SLITRK family, such as SLITRK2, are integral membrane proteins with 2 N-termin al leucine-rich repeat (LRR) domains similar to those of SLIT proteins (see SLIT1; MIM 603742). Most SLITRKs, including SLITRK2, also have C-terminal regions that share homology with neurotr ophin receptors (see NTRK1; MIM 191315). SLITRKs are expressed predominantly in neural tiss ues and have neurite-modulating activity (Aruga et al., 2003 [PubMed 14557068]).[supplied by O MIM
Other Designations	OTTHUMP00000024190 slit and trk like gene 2 slit-like 1

Publication Reference



Product Information

 Human SLITRK family genes: genomic organization and expression profiling in normal brain and brain tumor tissue.

Aruga J, Yokota N, Mikoshiba K.

Gene 2003 Oct; 315:87.

 Identification and characterization of Slitrk, a novel neuronal transmembrane protein family controlling neurite outgrowth.

Aruga J, Mikoshiba K.

Molecular and Cellular Neurosciences 2003 Sep; 24(1):117.

Disease

- Bipolar Disorder
- Genetic Predisposition to Disease