


BAIAP3 polyclonal antibody


Catalog # PAB13344 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of BAIAP3 in SK-N-SH cell lysate with BAIAP3 polyclonal antibody (Cat # PAB13344) at 2 ug/mL.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of human brain tissue using BAIAP3 polyclonal antibody (Cat # PAB13344) at 2.5 ug/mL .

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of BAIAP3.
Immunogen	A synthetic peptide corresponding to N-terminus 12 amino acids of human BAIAP3.
Host	Rabbit
Reactivity	Human
Form	Liquid
Recommend Usage	Western Blot (2 ug/mL) The optimal working dilution should be determined by the end user.

😵 Abnova

Product Information

Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

• Western Blot (Cell lysate)

Western blot analysis of BAIAP3 in SK-N-SH cell lysate with BAIAP3 polyclonal antibody (Cat # PAB13344) at 2 ug/mL .

• Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human brain tissue using BAIAP3 polyclonal antibody (Cat # PAB13344) at 2.5 ug/mL .

Gene Info — BAIAP3

Entrez GenelD	<u>8938</u>
Protein Accession#	BAA34710
Gene Name	BAIAP3
Gene Alias	BAP3, KIAA0734, MGC138334
Gene Description	BAI1-associated protein 3
Omim ID	<u>604009</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This p53-target gene encodes a brain-specific angiogenesis inhibitor. The protein is a seven-spa n transmembrane protein and a member of the secretin receptor family. It interacts with the cytopl asmic region of brain-specific angiogenesis inhibitor 1. This protein also contains two C2 domain s, which are often found in proteins involved in signal transduction or membrane trafficking. Its exp ression pattern and similarity to other proteins suggest that it may be involved in synaptic function s. [provided by RefSeq
Other Designations	BAI-associated protein 3

Publication Reference



Induction of BAIAP3 by the EWS-WT1 chimeric fusion implicates regulated exocytosis in tumorigenesis.

Palmer RE, Lee SB, Wong JC, Reynolds PA, Zhang H, Truong V, Oliner JD, Gerald WL, Haber DA. Cancer Cell 2002 Dec; 2(6):497.

<u>Cloning and characterization of BAP3 (BAI-associated protein 3), a C2 domain-containing protein that interacts</u> with BAI1.

Shiratsuchi T, Oda K, Nishimori H, Suzuki M, Takahashi E, Tokino T, Nakamura Y.

Biochemical and Biophysical Research Communications 1998 Oct; 251(1):158.