


SNPH polyclonal antibody


Catalog # PAB13375 Size 100 ug

Applications



Western Blot (Tissue lysate)

Western blot analysis of SNPH in human brain tissue lysate with SNPH polyclonal antibody (Cat # PAB13375) at (A) 2 and (B) 4 ug/mL.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemistry of SNPH in human brain with SNPH polyclonal antibody (Cat # PAB13375) at 5 ug/mL .

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of SNPH.
Immunogen	A synthetic peptide corresponding to N-terminus 18 amino acids of human SNPH.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Recommend Usage	Western Blot (2-4 ug/mL) The optimal working dilution should be determined by the end user.



Product Information

Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Tissue lysate)

Western blot analysis of SNPH in human brain tissue lysate with SNPH polyclonal antibody (Cat # PAB13375) at (A) 2 and (B) 4 ug/mL .

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

 $Immun ohistochem is try of SNPH in human brain with SNPH polyclonal antibody (Cat \# PAB13375) at 5 ug/mL \ .$

Gene Info — SNPH	
Entrez GenelD	<u>9751</u>
Protein Accession#	<u>O15079</u>
Gene Name	SNPH
Gene Alias	KIAA0374, MGC46096, bA314N13.5
Gene Description	syntaphilin
Omim ID	604942
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Syntaxin-1, synaptobrevin/VAMP, and SNAP25 interact to form the SNARE complex, which is required for synaptic vesicle docking and fusion. The protein encoded by this gene is membrane-ass ociated and inhibits SNARE complex formation by binding free syntaxin-1. Expression of this gene appears to be brain-specific. [provided by RefSeq
Other Designations	OTTHUMP00000070985

Publication Reference



Product Information

Docking of axonal mitochondria by syntaphilin controls their mobility and affects short-term facilitation.

Kang JS, Tian JH, Pan PY, Zald P, Li C, Deng C, Sheng ZH.

Cell 2008 Jan; 132(1):137.

Application: IF, Rat, Rat hippocampal neurons

Syntaphilin binds to dynamin-1 and inhibits dynamin-dependent endocytosis.

Das S, Gerwin C, Sheng ZH.

The Journal of Biological Chemistry 2003 Oct; 278(42):41221.

Application: IP, WB-Tr, Monkey, COS-7 cells

Syntaphilin: a syntaxin-1 clamp that controls SNARE assembly.

Lao G, Scheuss V, Gerwin CM, Su Q, Mochida S, Rettig J, Sheng ZH.

Neuron 2000 Jan; 25(1):191.

Application: IF, IP, WB-Ti, WB-Tr, Human, Rat, Synaptosomes, Brain, Heart, Kidney, Liver, Lung, Muscle, Spleen, HEK 293T cells