## Procollagen Type III polyclonal antibody

Catalog # PAB13512 Size 100 uL

## Specification

Product Description	Rabbit polyclonal antibody raised against partial Procollagen Type III.
Immunogen	Procollagen type III deprived of the C-terminal PIIICP peptide.
Host	Rabbit
Reactivity	Bovine, Human, Pig
Specificity	This antibody reacts with human and bovine procollagen type III (PIIIP) 100%; human and bovine colla gen type III very low at RIA dilution <1:100. human and bovine procollagen type I <0.1% in RIA at 1:20 0 dilution.
Form	Lyophilized
Purification	Affinity purification
Recommend Usage	ELISA (1:100-1:200) Immunohistochemistry (1:500) Immunofluorescence (1:40) Radioimmunoassay (>1:200) Western Blot The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from PBS buffer, no BSA and preservative.
Storage Instruction	Store at -20°C. Aliquot after reconstitution to avoid repeated freezing and thawing.

## Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
- Immunofluorescence

- Enzyme-linked Immunoabsorbent Assay
- Radioimmunoassay

## **Publication Reference**

• Four markers of collagen metabolism as possible indicators of disease in the adult respiratory distress syndrome.

Farjanel J, Hartmann DJ, Guidet B, Luquel L, Offenstadt G.

The American Review of Respiratory Disease 1993 May; 147(5):1091.

Application: ELISA, Human, Human bronchoalveolar lavage fluids

 Serum type I collagen and N-terminal peptide of type III procollagen in patients with alcoholic liver disease: relationship to liver histology.

Trinchet JC, Hartmann DJ, Pateron D, Munz-Gotheil C, Callard P, Ville G, Beaugrand M. Alcoholism, Clinical and Experimental Research 1992 Apr; 16(2):342.

Application: RIA, Human, Human serum