

CDC25A polyclonal antibody

Catalog # PAB14480 Size 100 ug

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of CDC25A.
Immunogen	A synthetic peptide corresponding to the portion encoded within exon 7 of human CDC25A.
Host	Rabbit
Reactivity	Human
Form	Liquid
Recommend Usage	Western Blot (0.1-1 ug/mL) Immunoprecipitation (1- 4 ug/mg) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris-citrate/phosphate, pH 7-8 (0.09% sodium azide)
Storage Instruction	Store at 4°C. Do not freeze.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunoprecipitation

Gene Info — CDC25A

Entrez GeneID	993
Gene Name	CDC25A

Gene Alias	CDC25A2
Gene Description	cell division cycle 25 homolog A (S. pombe)
Omim ID	116947
Gene Ontology	Hyperlink
Gene Summary	CDC25A is a member of the CDC25 family of phosphatases. CDC25A is required for progression from G1 to the S phase of the cell cycle. It activates the cyclin-dependent kinase CDC2 by removing two phosphate groups. CDC25A is specifically degraded in response to DNA damage, which prevents cells with chromosomal abnormalities from progressing through cell division. CDC25A is an oncogene, although its exact role in oncogenesis has not been demonstrated. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]
Other Designations	M-phase inducer phosphatase 1 cell division cycle 25A dual specificity phosphatase CDC25A

Pathway

- [Cell cycle](#)

Disease

- [Adenocarcinoma](#)
- [Breast Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Lung Neoplasms](#)
- [Ovarian Neoplasms](#)
- [Pulmonary Disease](#)
- [Schizophrenia](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)