

OTUD4 polyclonal antibody

Catalog # PAB15652 Size 100 ug

Specification

| | |
|-----------------------------|--|
| Product Description | Goat polyclonal antibody raised against synthetic peptide of OTUD4. |
| Immunogen | A synthetic peptide corresponding to human OTUD4. |
| Sequence | C-SRSRDEGYQYHRNVR |
| Host | Goat |
| Theoretical MW (kDa) | 117 |
| Form | Liquid |
| Purification | Antigen affinity purification |
| Concentration | 0.5 mg/mL |
| Recommend Usage | ELISA (1:8000) The optimal working dilution should be determined by the end user. |
| Storage Buffer | In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide) |
| Storage Instruction | Store at -20°C. Aliquot to avoid repeated freezing and thawing. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |

Applications

- Enzyme-linked Immunoabsorbent Assay

Gene Info — OTUD4

| | |
|--------------------|---|
| Entrez GeneID | 54726 |
| Protein Accession# | NP_955356.1 |
| Gene Name | OTUD4 |
| Gene Alias | DKFZp434I0721, DUBA6, HIN1, HSHIN1, KIAA1046 |
| Gene Description | OTU domain containing 4 |
| Gene Ontology | Hyperlink |
| Gene Summary | Two alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. The smaller protein isoform encoded by the shorter transcript variant is found only in HIV-1 infected cells. [provided by RefSeq] |
| Other Designations | HIV-1 induced protein HIN-1 OTU domain containing 4 protein |

Publication Reference

- [Heterogeneity of breast cancer metastases: comparison of therapeutic target expression and promoter methylation between primary tumors and their multifocal metastases.](#)

Wu JM, Fackler MJ, Halushka MK, Molavi DW, Taylor ME, Teo WW, Griffin C, Fetting J, Davidson NE, De Marzo AM, Hicks JL, Chitale D, Ladanyi M, Sukumar S, Argani P.

Clinical Cancer Research 2008 Apr; 14(7):1938.