


ZBTB1 polyclonal antibody


Catalog # PAB16570 Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of ZBTB1 in HepG2 cell lysate with ZBTB1 polyclonal antibody (Cat # PAB16570) at (A) 1 and (B) 2 ug/mL .



Immunohistochemistry

Immunohistochemistry of ZBTB1 in mouse brain tissue with ZBTB1 polyclonal antibody (Cat # PAB16570) at 2.5 ug/mL .

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of ZBTB1.
lmmunogen	A synthetic peptide corresponding to internal region 14 amino acids of human ZBTB1.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Recommend Usage	Western Blot (1-2 ug/mL) The optimal working dilution should be determined by the end user.



Product Information

Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of ZBTB1 in HepG2 cell lysate with ZBTB1 polyclonal antibody (Cat # PAB16570) at (A) 1 and (B) 2 ug/mL .

Immunohistochemistry

 $Immun ohistochem is try of ZBTB1 in mouse brain tissue with ZBTB1 polyclonal antibody (Cat \# PAB16570) at 2.5 \ ug/mL \ .$

Enzyme-linked Immunoabsorbent Assay

Gene Info — ZBTB1	
Entrez GenelD	22890
Protein Accession#	AAH50719
Gene Name	ZBTB1
Gene Alias	KIAA0997
Gene Description	zinc finger and BTB domain containing 1
Gene Ontology	<u>Hyperlink</u>
Other Designations	-

Publication Reference



Product Information

 The NEI/NCBI dbGAP database: genotypes and haplotypes that may specifically predispose to risk of neovascular age-related macular degeneration.

Zhang H, Morrison MA, Dewan A, Adams S, Andreoli M, Huynh N, Regan M, Brown A, Miller JW, Kim IK, Hoh J, Deangelis MM. BMC Medical Genetics 2008 Jun; 9:51.

• <u>Discrimination of vanadium from zinc using gene profiling in human bronchial epithelial cells.</u>

Li Z, Stonehuerner J, Devlin RB, Huang YC.

Environmental Health Perspectives 2005 Dec; 113(12):1747.

Generation and initial analysis of more than 15,000 full-length human and mouse cDNA sequences.

Strausberg RL, Feingold EA, Grouse LH, Derge JG, Klausner RD, Collins FS, Wagner L, Shenmen CM, Schuler GD, Altschul SF, Zeeberg B, Buetow KH, Schaefer CF, Bhat NK, Hopkins RF, Jordan H, Moore T, Max SI, Wang J, Hsieh F, Diatchenko L, Marusina K, Farmer AA, Rubin GM, Hong L, Stapleton M, Soares MB, Bonaldo MF, Casavant TL, Scheetz TE, Brownstein MJ, Usdin TB, Toshiyuki S, Carninci P, Prange C, Raha SS, Loquellano NA, Peters GJ, Abramson RD, Mullahy SJ, Bosak SA, McEwan PJ, McKernan KJ, Malek JA,

PNAS 2002 Dec; 99(26):16899.