

## II17ra polyclonal antibody

Catalog # PAB17043 Size 100 ug

## Applications



#### Western Blot (Tissue lysate)

II17ra polyclonal antibody (Cat # PAB17043) (1 ug/mL) staining of rat kidney lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification	
Product Description	Goat polyclonal antibody raised against synthetic peptide of II17ra.
Immunogen	A synthetic peptide corresponding to mouse II17ra.
Sequence	C-DQEKHGDDSKIN
Host	Goat
Theoretical MW (kDa)	96
Reactivity	Rat
Form	Liquid
Purification	Antigen affinity purification
Concentration	0.5 mg/mL
Recommend Usage	ELISA (1:8000) Western Blot (1-3 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)

Copyright © 2023 Abnova Corporation. All Rights Reserved.

# 😵 Abnova

### **Product Information**

**Storage Instruction** 

Aliquot to avoid repeated freezing and thawing.

Store at -20°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## Applications

Western Blot (Tissue lysate)

II17ra polyclonal antibody (Cat # PAB17043) (1 ug/mL) staining of rat kidney lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Enzyme-linked Immunoabsorbent Assay

## Gene Info — II17ra

Entrez GenelD	<u>16172</u>
Protein Accession#	<u>NP_032385.1</u>
Gene Name	ll17ra
Gene Alias	AW538159, Cdw217, II17r, VDw217
Gene Description	interleukin 17 receptor A
Gene Ontology	Hyperlink
Other Designations	interleukin 17 receptor

### **Publication Reference**

#### The IL-17 cytokine family.

Gaffen SL, Kramer JM, Yu JJ, Shen F. Vitamins and Hormones 2006 Jan; 74:255.

Application: ELISA, Human, Human serum T cells