


EGR3 polyclonal antibody

Catalog # PAB17379

Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry analysis of paraffin-embedded human brain tissue, using EGR3 polyclonal antibody (Cat # PAB17379).

Peptide "+" means "with peptide blocking".

Specification

Product Description Rabbit polyclonal antibody raised against synthetic peptide of EGR3.

Immunogen A synthetic peptide corresponding to internal of human EGR3.

Host Rabbit

Reactivity Human, Mouse, Rat

Specificity This antibody detects endogenous levels of total EGR3 protein.

Form Liquid

Recommend Usage Immunohistochemistry (1:50-1:100)
ELISA (1:40000)
The optimal working dilution should be determined by the end user.

Storage Buffer In PBS, pH 7.4 (150mM NaCl, 0.02% sodium azide, 50% glycerol)

Storage Instruction Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry analysis of paraffin-embedded human brain tissue, using EGR3 polyclonal antibody (Cat # PAB17379).
Peptide "+" means "with peptide blocking".

Gene Info — EGR3

Entrez GeneID	1960
Protein Accession#	Q06889
Gene Name	EGR3
Gene Alias	MGC138484, PILOT
Gene Description	early growth response 3
Omim ID	602419
Gene Ontology	Hyperlink
Gene Summary	The gene encodes a transcriptional regulator that belongs to the EGR family of C2H2-type zinc-finger proteins. It is an immediate-early growth response gene which is induced by mitogenic stimulation. The protein encoded by this gene participates in the transcriptional regulation of genes in controlling biological rhythm. It may also plays a role in muscle development. [provided by RefSeq]
Other Designations	zinc finger protein pilot

Publication Reference

- [The status, quality, and expansion of the NIH full-length cDNA project: the Mammalian Gene Collection \(MGC\).](#)

Gerhard DS, Wagner L, Feingold EA, Shenmen CM, Grouse LH, Schuler G, Klein SL, Old S, Rasooly R, Good P, Guyer M, Peck AM, Derge JG, Lipman D, Collins FS, Jang W, Sherry S, Feolo M, Misquitta L, Lee E, Rotmistrovsky K, Greenhut SF, Schaefer CF, Buetow K, Bonner TI, Haussler D, Kent J, Kiekhaus M, Furey T, Brent M, Prange C, Schreiber K, Shapiro N, Bhat NK, Hopkins RF, Hsie F, Driscoll T, Soares MB, Casavant TL, Scheetz TE, Brownstein MJ, Usdin TB, Toshiyuki S, Carninci P, Piao Y, Dudekula DB, K

Genome Research 2004 Oct; 14(10B):2121.

- [Expression of PILOT, a putative transcription factor, requires two signals and is cyclosporin A sensitive in T cells.](#)

H W Mages, T Stamminger, O Rilke, R Bravo, R A Kroczeck.

International Immunology 1993 Jan; 5(1):63.

- [EGR3, a novel member of the Egr family of genes encoding immediate-early transcription factors.](#)

Patwardhan S, Gashler A, Siegel MG, Chang LC, Joseph LJ, Shows TB, Le Beau MM, Sukhatme VP.

Oncogene 1991 Jun; 6(6):917.

Disease

- [Alzheimer disease](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Diabetes Complications](#)
- [Genetic Predisposition to Disease](#)
- [Metabolic Syndrome X](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Psychiatric Status Rating Scales](#)
- [Psychotic Disorders](#)
- [Schizophrenia](#)